

6

A
CATALOGUE
OF
PLANTS

SOLD BY
JAMES COLVILL,
Nursery & Seedsman,
KING'S ROAD, CHELSEA,
NEAR
LONDON.

THE THIRD EDITION.

PRINTED BY J. TILLING,
Grosvenor Row, Chelsea.

—
1827.

CATALOGUE

PLANTS

OF THE

HERBARIUM

OF THE

UNIVERSITY OF

CHICAGO

ILLINOIS

1892

CHICAGO

ILLINOIS

1892

CHICAGO


ILLINOIS

1892

CONTENTS.



	Page.
Hothouse Climbers	1
Hothouse Plants	2
Amaryllideæ; or Bulbous Plants related to Amaryllis	9
Orchideæ; or Plants belonging to the Orchis Tribe	11
Greenhouse Climbers	13
Greenhouse Plants	14
Geraniaceæ; or Plants belonging to the Family of Geranium	25
China Roses	29
Hardy Climbers	30
Hardy Flowering Shrubs, requiring Peat Soil.....	31
Hardy Trees and Shrubs	33
Hardy perennial herbaceous Plants	39



HOTHOUSE CLIMBERS.



ABRUS precatorius	CRYPTOSTEGIA grandiflora	JASMINUM hirsutum
ALLAMANDA cathartica	DALBERGIA Barclayi	latifolium
ALSTÆMERIA Salsilla	Telfairii	glaucum
ARGYREIA cuneata	scandens	laurifolium
splendens	DISCHIDIA bengalensis	angustifolium
speciosa	ECHITES. paniculata	trinerve
ARISTOLOCHIA labiosa	caryophyllata	simplicifolium
BANISTERIA ciliata	macrophylla	undulatum
purpurea	suberecta	auriculatum
fulgens	FEUILLEA pedata	paniculatum
BAUHINIA scandens	GONOLOBUS diadematus	tortuosum
racemosa	maritimus	flexile
speciosa	HIPTAGE madablota	campanulatum
BEAUMONTIA grandiflora	HOYA crassifolia	MALPIGHIA volubilis
longifolia	carnosa	MANETTIA coccinea
BIGNONIA uncata	pallida	MELODINUS scandens
venusta	IPOMÆA dissecta	monogynus
Chamberlaynii	tuberosa	MODECCA lobata
grandifolia	insignis	MURUCUIA ocellata
mollis	paniculata	perfoliata
variabilis	pendula	NOISETTIA pyrifolia
jasminifolia	sanguinea	PASSIFLORA Newmani
CAPPARIS spinosa	repanda	serratifolia
CEROPEGIA africana	denticulata	cuprea
COMBRETUM comosum	mutabilis	albida
intermedium	gangetica	angulata
elegans	grandiflora	maliformis
purpureum	Jalapa	laurifolia
secundum	cairica	quadrangularis
CONVOLVULUS pentanthus	pes-capræ	alata
	JASMINUM Sambac	normalis
	<i>β flore pleno</i>	rubra
	<i>γ trifoliatum</i>	Vespertilio
	A	tuberosa
		lunata

PASSIFLORA

pallida
angustifolia
minima
hirsuta
suberosa
peltata
racemosa
lutea
maculata
glauca
picturata
holosericea
foetida
ciliata
edulis
filamentosa

PERGULARIA

odoratissima
minor

PETRÆA

volubilis

PHASEOLUS

Caracalla

QUISQUALIS

indica
pubescens

ROXBURGHIA

Gloriosa

SARCOCOCCA

pruniformis

SOLANUM

Seaforthianum

SWEETIA

filiformis

TERMINALIA

scandens

TETRACERA

potatorum

THUNBERGIA

grandiflora
fragrans
cordata
coccinea
angulata
alata

HOTHOUSE PLANTS.**ABROMA**

augusta
fastuosa

ABUTILON

auritum

ACACIA

heteromalla
platyphylla
leucophylla
Richardsoni
canaliculata
Houstoni
grandiflora
odoratissima
concordiana
glauca
Lebeck
Sirissa
chrysostachys
capensis
guilandinæfolia
farnesiana
quadrangularis
Lambertiana

ACROSTICHUM

alcicorne

ACTINOPHYLLUM

acuminatum
pedicellatum
Brownii

ALEURITES

triloba

ALLAMANDA

cathartica
verticillata

ALPINIA

nutans
malaccensis
mutica
calcarata

ALSTROEMERIA

Ligtu

ALYXIA

Richardsoni

ANACARDIUM

occidentale

ANGELONIA

salicariæfolia

ANONA

Cherimolia
muricata

APHELANDRA

cristata

ARDISIA

acuminata
pyramidata
solanacea
colorata
paniculata
littoralis
elegans
punctata
lentiginosa

ARTABOTRYS

odoratissima

ARTOCARPUS

incisa
integrifolia

ARUM

viviparum
trilobatum

ASCLEPIAS curassavica	BOCCONIA frutescens	CÆSALPINIA bijuga
ASTRAPÆA Wallichii	BØHMERIA frutescens	Crista
viscosa	BOMBAX Ceiba	Sappan
ASPIDISTRA lurida	BOUVARDIA versicolor	mucronata
AVERRHOA Bilimbi	BRACHYSTELMA tuberosum	CALADIUM bicolor
BANISTERIA argentea	BREXIA spinosa	maculatum
BARCLAYA latifolia	madagascariensis	odorum
BARLERIA cristata	chrysophylla	viviparum
alba	BROMELIA pallida	sagittæfolium
BARRINGTONIA speciosa	melaleuca	CALLICARPA macrophylla
BAUHINIA candida	BROSIMUM Alicastrum	CALOPHYLLUM Calaba
porrecta	BROWNEA coccinea	CALOTROPIS gigantea
BEGONIA nitida	BROWNLOWIA elata	procera
argyrostigma	BRUCEA ferruginea	CAMERARIA dubia
picta	BRUGMANSIA suaveolens	CANNA iridiflora
spatulata	BRUNFELSIA americana	gigantea
pauciflora	undulata	brasiliensis
Evansiana	violacea	coccinea
patula	BRYOPHYLLUM calycinum	patens
urticifolia	BUCIDA Buceras	indica
acuminata	BURCHELLIA capensis	versicolor
BERRYA ammonilla	parviflora	limbata
BESLERIA pulchella	CACTUS stellatus	flaccida
BIGNONIA indica	tetragonus	glauca
leucoxydon	speciosissimus	CARICA papaya
chelonoides	repandus	CARISSA spinarum
purpurea	grandiflorus	CAROLINEA alba
stans	flagelliformis	princeps
incisa	brasiliensis	insignis
BIXA Orellana	speciosus	minor
purpurea	truncatus	CASSIA cornuta
BLAKEA trinervia	Phyllanthus	purpurea
BLIGHIA sapida	Pereskia	lævigata
		occidentalis
		CATESBÆA spinosa
		latifolia
		CECROPIA palmata

CEPHÆLIS involucrata	COULTERIA tinctoria	DRACÆNA stricta
CERBERA Manghas	COSTUS speciosus	congesta
Thevetia maculata	nepalensis	terminalis
fruticosa	afer	ferrea
CEROPEGIA	CRESCENTIA cucurbitina	DURANTA Plumieri
africana	CROSSANDRA undulæfolia	Ellisia
CHILOPSIS linearis	CROTALARIA bracteata	ELÆODENDRUM orientale
CHITONIA Fothergilla	vitellina	indicum
macrophylla	CROTON variegatum	ELETTARIA Cardamomum
CHRYSOPHYLLUM Cainito	pictum	ENCELIA canescens
argenteum	lineare	ERANTHEMUM strictum
CINNAMOMUM Cassia	CURCULIGO latifolia	pulchellum
verum	CYCAS revoluta	bicolor
nitidum	CYCLANTHUS Plumieri	spinosum
gracile	CYLISTA villosa	ERIODENDRON anfractuosum
CLERODENDRUM fragrans	albiflora	<i>β caribæum</i>
viscosum	CYMINOSMA pedunculata	<i>γ africanum</i>
nutans	CYPHIA volubilis	ERYTHRINA herbacea
squamatum	Phyteuma	Corallodendrum
paniculatum	DAMMARA orientalis	ovalifolia
macrophyllum	DESMODIUM altissimum	caffra
cernuum	gyrans	speciosa
CLIDEMIA hirta	DICHORISANDRA thyrsiflora	Crista-galli
elegans	DILLENIA speciosa	arborescens
CLITORIA Ternatea	DIOSPYROS Kaki	EUGENIA fragrans
erecta	Embryopteris	malaccensis
CLUSIA flava	edulis	Jambos
rosea	vaccinoides	amplexicaulis
COFFEA arabica	DOMBEYA ferruginea	obtusifolia
COLUMNEA hirsuta	DORYANTHES excelsa	caryophyllifolia
scandens		acuminata
COOKIA punctata		aquea
COSSIGNIA pinnata		pulchella
		obovata
		macrocarpa
		zeylanica
		latifolia
		EUPHORBIA punicea
		meloformis

- EUPHORIA**
Litchi
- FERNELIA**
buxifolia
pustulosa
- FICUS**
vestita
macrophylla
elastica
bengalensis
nymphæifolia
- FLACOURTIA**
inermis
- FLEMINGIA**
strobilifera
semialata
- GARDENIA**
florida
α simplex
β plena
radicans
latifolia
lucida
Rothmannia
Thunbergia
obtusifolia
uliginosa
armata
propinqua
longispina
amœna
campanulata
- GEOFFROYA**
inermis
- GESNERIA**
tomentosa
bulbosa
prasinata
aggregata
- GLOBBA**
marantina
radicalis
- GLORIOSA**
superba
- GLOXINIA**
maculata
speciosa
- GOUANIA**
tiliæfolia
- GREVILLEA**
trifurcata
Flindersii
acanthifolia
berberifolia
podalyriaefolia
podocarpifolia
- GRIAS**
cauliflora
- GRISLEA**
tomentosa
- GUAIAACUM**
officinale
- GUETTARDA**
lucida
- GUSTAVIA**
augusta
- GYMNOLOMA**
maculatum
- GYROCARPUS**
asiaticus
- HAMELIA**
patens
ventricosa
- HEDERA**
capitata
cochleata
- HEDYCHIUM**
flavum
aurantiacum
maximum
heteromallum
longifolium
Gardnerianum
elatum
coronarum
flavescens
coccineum
spicatum
angustifolium
gracile
- HELICTERES**
verbascifolia
baruensis
jamaicensis
- HERITIERA**
littoralis
minor
- HERNANDIA**
sonora
- HIBISCUS**
tiliaceus
Rosa-sinensis
α simplex
β rubro-plenus
γ roseo-plenus
δ flavo-plenus
ε luteo-plenus
ζ variegato-plenus
collinus
phœniceus
macrophyllus
mutabilis
Abelmoschus
vitifolius
hirtus
Richardsoni
unidens
racemosus
- HOLMSKIOLDIA**
sanguinea
- HUERNIA**
reticulata
campanulata
clavigera
venusta
lentiginosa
guttata
humilis
tubata
barbata
- HYMENÆA**
Conbaril
verrucosa
- INGA**
purpurea
unguis-cati
- ISERTIA**
coccinea
- IXORA**
rosea
blanda
incarnata
coccinea
erocata
grandiflora
Bandhuca
barbata
cuneifolia

IXORA brachiata parviflora undulata acuminata	MÆSA indica tomentosa	MICONIA decussata semicrenata
JACARANDA mimosæfolia	MALACHRA fasciata capitata	MICRANTHERA clusiæfolia
JACQUINIA armillaris ruscifolia aurantiaca	MALPIGHIA fucata urens angustifolia canescens coccifera	MIMOSA pudica latispinosa sensitiva latifolia
JATROPHA panduræfolia Curcas multifida	MALVAVISCUS arboreus mollis pilosa	MIMUSOPS Elengi Kauki macrophylla
JUSTICIA coccinea quadrifida picta lucida Gendarussa eustachiana nasuta	MAMMEA americana	MURRAYA exotica
KÆMPFERIA rotunda angustifolia Galanga pandurata ovalifolia	MANGIFERA indica	MUSA coccinea superba rosacea
KYDIA calycina	MARANTA arundinacea bicolor Zebrina	MYRTUS tomentosa nuda biflora disticha Gregii acris Pimenta
LABLAB purpureus	MARICA martinicensis cœrulea Sabini Northiana	NAUCLEA Cadamba
LAGERSTRÆMIA indica	MELALEUCA Leucadendron	NELUMBium speciosum
LANTANA trifolia odorata melissæfolia aculeata nivea	MELASTOMA sanguinea macrocarpa malabathrica affinis nepalensis corymbosa	NYCTANTHES arbor-tristis
LAURUS aggregata	MELHANIA erythroxylon	NYMPHÆA Lotus pubescens rubra rosea versicolor cœrulea scutifolia stellata
LITTÆA geminiflora	MELIA robusta superba sempervirens	OCHNA atropurpurea
LOBELIA surinamensis longiflora	METROSIDEROS vera	OLEA emarginata
LUCULIA gratissima	MICHELIA Champaca	OMPHALEA triandra

ONONIS emarginata	PLUMERIA alba	SALVIA mexicana
OPHIOXYLON serpentinum	Cowani	amœna
ORMOSIA dasycarpa	tricolor	splendens
OSBECKIA stellata	lutea	SAMYDA rosea
zeylanica	tuberculata	SAPINDUS saponaria
chinensis	rubra	SARCOCEPHALUS esculentus
OXYANTHUS speciosus	POINCIANA pulcherrima	SCÆVOLA Taccada
PANAX fruticosa	elata	SCHOTIA speciosa
PANDANUS amaryllifolius	POLYSPORA axillaris	tamarindifolia
inermis	PORTLANDIA grandiflora	latifolia
spiralis	hexandra	SECURINEGA nitida
marginatus	PSIDIUM Cattleianum	SENACIA undulata
PARKINSONIA aculeata	polycarpon	SESBANIA picta
PAVETTA indica	PSYCHOTRIA elliptica	SIDA periplocifolia
arenosa	citrifolia	rhomboidea
PEDILANTHUS tithymaloides	PTEROSPERMUM acerifolium	SOLANDRA grandiflora
PELIOSANTHES Teta	suberifolium	viridiflora
PERIPTERA punicea	semisagittatum	SOLANUM amazonium
PERSEA gratissima	QUASSIA amara	SOPHORA tomentosa
PHYLLANTHUS turbيناتus	QUERCUS lanuginosa	occidentalis
reticulatus	QUIVISIA heterophylla	littoralis
fraxinifolius	RITCHIEA fragrans	SPERMADICTYON suaveolens
juglandifolius	RIVINA humilis	STACHYTARPHETA mutabilis
PHYLLOMA aloiflorum	RONDELETIA americana	jamaicensis
PLEROMA granulosa	RUBENTIA angustifolia	STAPELIA ciliata
heteromalla	RUBUS pendulus	fuscata
viminea	parvifolius	glauca
holosericea	RUELLIA formosa	revoluta
PLUMBAGO rosea	anisophylla	hirsuta
zeylanica	RUIZIA variabilis	grandiflora
capensis	RUSSELIA multiflora	spectabilis
		ambigua
		pulvinata
		Asterias

STAPELIA

stellaris
hamata
hirtella
deflexa
sororia
patula
gemmiflora
hircosa
Juvenula
divaricata
stricta
rufa
acuminata
radiata
tuberculata
reclinata
roriflua
elegans
lævigata
glomerata
compacta
cæspitosa
arida
parviflora
serrulata
conciuna
glanduliflora
glandulifera
pedunculata
aperta
pilifera
articulata
mamillaris
pruinosa
ramosa
incarnata
punctata
geminata
decora
vetula
Simsii
pulchella
verrucosa
irrorata
pulchra
picta
inodora
Woodfordiana
Curtisii

STAPELIA

variegata
marginata
obliqua
paniculata
maculosa
bufonia
lepida
clypeata
orbicularis
planiflora
rugosa
conspurcata

STENOCHILUS

maculatus
glaber

STERCULIA

Balanghas
colorata
fœtida

STILAGO

Bunius

STILLINGIA

sebifera

STRELITZIA

angusta
reginæ
ovata
humilis
farinosa
angustifolia
parvifolia

STROPHANTHUS

dichotomus

SWIETENIA

Mahagoni

TABERNÆMON-

TANA

coronaria
crispa
amygdalifolia
laurifolia

TACCA

integrifolia
pinnatifida

TAMARINDUS

indica
occidentalis

TECTONA

grandis

TEPHROSIA

grandiflora
candida

TERMINALIA

Catappa
procera
angustifolia
scandens

THEOPHRASTA

Jussiaei

TRADESCANTIA

fuscata

TREVIRANA

coccinea

TRIGONIA

brasiliensis

TRIPHASIA

trifoliata

TUPISTRA

squalida

URANIA

speciosa

URENA

sinuata
lobata

VANGUIERA

edulis
spinosa

VERNONIA

sericea

VINCA

rosea
3 varieties

WEBERA

corymbosa

WEDELIA

radiosa

XANTHOCHYMUS

pictorius

XYLOPHYLLA

falcata
latifolia
angustifolia

ZAMIA

horrida
spiralis

ZINGIBER

officinale
Casumunar
Zerumbet

AMARYLLIDÆ;

OR,

BULBOUS PLANTS RELATED TO AMARYLLIS.



ABBREVIATIONS.

g. Greenhouse plants.*h.* Hardy plants.*s.* Stove plants.

AMARYLLIS

Belladonna. *h.*pallida. *g.*formosissima. *g.*blanda. *g.*Johnsoni. *g.*vittata. *g.*β *major. g.*acuminata. *s.*aulica. *s.*psittacina. *s.*calyptrata. *s.*solandræflora. *s.*stylosa. *s.*equestris. *s.*β *major. s.*γ *flore pleno. s.*miniata. *s.*fulgida. *s.*reginæ. *s.*crocata. *s.*rutila. *s.*reticulata. *s.*striatifolia. *s.*brevifolia. *s.*superba. *s.*grandiflora. *s.*atrorubens. *s.*obscura. *s.*intermedia. *s.*sulcata. *s.*

AMARYLLIS

recurvata. *s.*Valletii. *s.*Wellsiana. *s.*rubescens. *s.*rugosa. *s.*decora. *s.*variegata. *s.*purpurascens. *s.*patens. *s.*pallescens. *s.*cuprea. *s.*rubicunda. *s.*accedens. *s.*versicolor. *s.*costata. *s.*attenuata. *s.*dioica. *s.*amoena. *s.*Colvillii. *s.*æmula. *s.*affinis. *s.*undulæflora. *s.*palliiflora. *s.*discolor. *s.*coccinea. *s.*expansa. *s.*ringens. *s.*notha. *s.*venosa. *g.*lineata. *s.*

B

AMARYLLIS

carnescens. *s.*nervifolia. *s.*phœnicea. *s.*roseo-alba. *s.*diluta. *s.*stenopetala. *s.*imbuta. *s.*modesta. *s.*flaccida. *s.*patentissima. *s.*compacta. *s.*lateritia. *g.*punctata. *g.*fulva. *s.*mutabilis. *s.*tricolor. *g.*glaucescens. *g.*fulvescens. *s.*mixta. *s.*platypetala. *s.*concolor. *g.*Hoodii. *s.*macrantha. *g.*varia. *g.*crispiflora. *g.*penduliflora. *s.*pustulosa. *g.*breviflora. *g.*fulvocincta. *g.*dilecta. *g.*

AMARYLLIS

bracteata. *s.*
 consanguinea. *s.*
 parvula. *s.*
 tortuliflora. *g.*
 striatiflora. *s.*
 rubro-crocea. *g.*
 veniflora. *g.*
 amabilis. *s.*
 ignescens. *g.*
 ligulæflora. *s.*
 transparens. *s.*
 rubrolineata. *s.*
 crispata. *g.*
 tricuspis. *g.*
 retinervia. *s.*
 sordida. *s.*
 consobrina. *s.*
 lineolata. *g.*
 carinata. *s.*
 fraterna. *s.*
 rugulosa. *s.*
 tortuosa. *s.*
 basiflora. *g.*
 quadricolor. *g.*
 princeps. *s.*
 solubilis. *s.*
 imperialis. *g.*
 angusta. *s.*
 punctulosa. *g.*
 uniparvula. *g.*
 purpureo-rubens. *g.*
 radiosa. *s.*
 flexiflora. *g.*
 sericea. *s.*
 rigida. *s.*
 delicata. *g.*
 reflexiflora. *s.*
 multistriata. *s.*
 sororia. *s.*
 salmonea. *s.*
 bistriata. *s.*
 canaliculata. *s.*
 retiflora. *s.*
 recurviflora. *g.*
 sexmaculata. *s.*
 pulchra. *g.*
 campanulata. *g.*
 Annesleyana. *s.*
 membranacea. *s.*

AMARYLLIS

purpureo-striata. *s.*
 mutabilis. *s.*
 quadrilineata. *s.*
 albocincta. *g.*
 latifida. *s.*
 vittifera. *s.*

BRUNSVIGIA

Josephinæ. *g.*
β minor. g.
 multiflora. *g.*
 marginata. *g.*
 radula. *g.*
 striata. *g.*
 falcata. *g.*
 coranica. *g.*
 disticha. *g.*
 toxicaria. *g.*
 ciliaris. *g.*

CALOSTEMMA

purpureum. *g.*
 luteum. *g.*

CHLIDANTHUS

fragrans. *s.*
 galanthifolius. *s.*

CRINUM

longiflorum. *g.*
 revolutum. *g.*
 crassifolium. *g.*
 capense. *g.*
 flaccidum. *g.*
 arenarium. *g.*
 confertum. *s.*
 angustifolium. *s.*
 Goweni. *g.*
 moluccanum. *s.*
 speciosum. *s.*
 insigne. *s.*
 latifolium. *s.*
 zeylanicum. *s.*
 scabrum. *s.*
 giganteum. *s.*
 ornatum. *s.*
 distichum. *s.*
 Broussoneti. *s.*
 sumatranum. *s.*
 multiflorum. *s.*
 americanum. *s.*
 erubescens. *s.*
β angustifolium. s.

CRINUM

defixum. *s.*
 amœnum. *s.*
 longifolium. *s.*
 cruentum. *s.*
 asiaticum. *s.*
 lorifolium. *s.*
 amabile. *s.*
 bracteatum. *s.*
 canaliculatum. *s.*
 pedunculatum. *s.*
 augustum. *s.*

CYRTANTHUS

ochroleucus. *g.*
 angustifolius. *g.*
 spiralis. *g.*
 obliquus. *g.*

EURYCLES

nuda. *s.*
 alata. *s.*
 coronata. *s.*

GETHYLLIS

spiralis. *g.*
 ciliaris. *g.*
 villosa. *g.*

GRIFFINIA

hyacinthina. *s.*

HÆMANTHUS

coccineus. *g.*
 coarctatus. *g.*
 rotundifolius. *g.*
 maculatus. *g.*
 tigrinus. *g.*
 quadrivalvis. *g.*
 albiflos. *g.*
 pubescens. *g.*
 carnens. *g.*
 puniceus. *g.*
 multiflorus. *s.*

ISMENE

Amancaes. *s.*
 nutans. *s.*
 calathinum. *s.*

NERINE

curvifolia. *g.*
 corusca. *g.*
 rosea. *g.*
 venusta. *g.*
 sarniensis. *g.*

NERINE

radiata. g.
anrea. s.
pulchella. g.
humilis. g.
flexuosa. g.
undulata. g.
versicolor. g.

PANCRATIUM

littorale. s.
Dryandri. s.
angustum. s.
rotatum. s.

PANCRATIUM

caribæum. s.
declinatum. s.
expansum. s.
amœnum. s.
ovatum. s.
speciosum. s.
fragrans. s.
pedale. s.
mexicanum. g.
carolinianum. g.
maritimum. g.
canariense. g.
illyricum. h.

STERNBERGIA

lutea. h.
β angustifolia. h.

VALLOTA

purpurea. g.

ZEPHYRANTHES

tubispatha. g.
rosea. h.
candida. h.
Atamasco. h.

ORCHIDEÆ;

OR,

PLANTS BELONGING TO THE ORCHIS TRIBE.



ACERAS

anthropophora. h.

AERANTHES

grandiflora. s.

AERIDES

odoratum. s.

ANGRÆCUM

maculatum. s.

falcatum. s.

BLETIA

Tankervilleæ. s.

verecunda. s.

florida. s.

hyacinthina. g.

pallida. s.

BONATEA

speciosa. g.

BRASSAVOLA

cucullata. s.

BRASSIA

caudata. s.

maculata. s.

BROUGHTONIA

sanguinea. s.

CALANTHE

veratrifolia. s.

CALOPOGON

pulchellus. h.

CALYPSO

americana. h.

CAMARIDIUM

ochroleucum. s.

CATASETUM

tridentatum. s.

CATTLEYA

labiata. s.

Forbesii. s.

CYMBIDIUM

aloifolium. s.

ensifolium. s.

sinense. s.

xiphiifolium. s.

tripterum. s.

CYPRIPEDIUM

Calceolus. h.

parviflorum. h.

pubescens. h.

spectabile. h.

humile. h.

CYPRIPEDIUM

arietinum. *h.*
insigne. *s.*
venustum. *s.*

CYRTOPODIUM

Andersonii. *s.*

DENDROBIUM

speciosum. *s.*
cucullatum. *s.*
Pierardi. *s.*

EPIDENDRUM

anceps. *s.*
cochleatum. *s.*
fragrans. *s.*
secundum. *s.*
fuscatum. *s.*
elongatum. *s.*
umbellatum. *s.*
nutans. *s.*
ciliare. *s.*
cuspidatum. *s.*

EPIPACTIS

latifolia. *h.*
palustris. *h.*
pallens. *h.*
ensifolia. *h.*
rubra. *h.*

EULOPHIA

guineensis. *s.*
gracilis. *s.*
streptopetala. *s.*

GEODORUM

dilatatum. *s.*
citrinum. *s.*
purpureum. *s.*

GOMESA

recurva. *s.*

GONGORA

atropurpurea. *s.*

GOODYERA

procera. *s.*
repens. *h.*
tessellata. *h.*
pubescens. *h.*
discolor. *s.*

GYMNADENIA

conopsea. *h.*
odoratissima. *h.*

HABENARIA

viridis. *h.*
bifolia. *h.*
nigra. *h.*
bracteata. *h.*
dilatata. *h.*
orbiculata. *h.*
ciliaris. *h.*
lacera. *h.*
fimbriata. *h.*

IONOPSIS

utricularioides. *s.*

ISOCHILUS

linearis. *s.*
prolifer. *s.*

LIPARIS

liliifolia. *h.*
Correana. *h.*

LISTERA

ovata. *h.*

MALAXIS

paludosa. *h.*

MAXILLARIA

Barringtoniæ. *s.*

NEOTTIA

speciosa. *s.*
orchioides. *s.*
picta. *s.*
elata. *s.*

NOTYLIA

punctata. *s.*

OCTOMERIA

graminifolia. *s.*

ONCIDIUM

papilio. *s.*
altissimum. *s.*
luridum. *s.*
carthagenense. *s.*
bifolium. *s.*
triquetrum. *s.*

OPHRYS

apifera. *h.*
arachnites. *h.*
tentredinifera. *h.*
aranifera. *h.*
muscifera. *h.*

ORCHIS

Morio. *h.*

ORCHIS

longicornu. *h.*
pallens. *h.*
militaris. *h.*
Rivini. *h.*
Schleicheri. *h.*
globosa. *h.*
coriophora. *h.*
spectabilis. *h.*
papilionacea. *h.*
Cyrilli. *h.*
mascula. *h.*
ustulata. *h.*
pyramidalis. *h.*
latifolia. *h.*
maculata. *h.*

ORNITHIDIUM

coccineum. *s.*

ORNITHOCEPHALUS

gladiatus. *s.*

PLEUROTHALLIS

ruscifolia. *s.*

POLYSTACHYA

luteola. *s.*

PRESCOTIA

plantaginifolia. *s.*

RODRIGUEZIA

secunda. *s.*

SARCANTHUS

rostratus. *s.*
paniculatus. *s.*
teretifolius. *s.*
succisus. *s.*

SERAPIAS

lingua. *h.*
longipetala. *h.*
cordigera. *h.*

STELIS

ophioglossoides. *s.*
micrantha. *s.*

TRIBRACHIA

pendula. *s.*

TRIZEUXIS

falcata. *s.*

VANDA

Roxburghii. *s.*

VANILLA

aromatica. *s.*
planifolia. *s.*

GREENHOUSE CLIMBERS.



ARISTOLOCHIA glauca sempervirens	CYNANCHUM pilosum obtusifolium	LONICERA chinensis japonica flava pubescens
BIGNONIA capreolata grandiflora australis meonantha	DOLICHOS lignosus	MARSDENIA suaveolens
BILLARDIERA scandens mutabilis longiflora	DUMASIA pubescens	MAURANDIA semperflorens antirrhiniflora
BRACHYSEMA latifolium undulatum	EUSTREPHUS latifolius	PASSIFLORA adiantifolia alato-cœrulea incarnata chinensis cœruleo-racemosa ditto <i>nana</i> ditto <i>rubra</i> Colvillii filamentosa
BRYONIA quinqueloba	FAGELIA bituminosa	ROSA bracteata involuta multiflora
CAPPARIS Breynii spinosa	GELSEMIUM sempervirens	RHYNCHOSIA angustifolia
CLEMATIS aristata brachiata calycina cirrhosa hedysarifolia	HIBBERTIA volubilis dentata grossulariæfolia	SCHIZANDRA coccinea
COBÆA scandens	IPOMÆA mutabilis macrorhiza pendula	TESTUDINARIA elephantipes
CONVOLVULUS pannifolius farinosus canariensis Massoni candicans althæoides bryoniæfolius	JASMINUM gracile coriaceum azoricum odoratissimum revolutum grandiflorum	WISTERIA chinensis
	KENNEDIA prostrata coccinea rubicunda Comptoniana monophylla ovata	

GREENHOUSE PLANTS.



ACACIA

oxycedrus
verticillata
genistæfolia
juniperina
Brownii
diffusa
sulcata
calamifolia
coriacea
longissima
uncinata
suaveolens
angustifolia
leucophylla
glaucescens
floribunda
elongata
linearis
linifolia
stricta
longifolia
falcata
dodonæfolia
melanoxylon
pyrifolia
lunata
obtusata
crassiuscula
Sophoræ
cochlearis
marginata
myrtifolia
micracantha
decipiens
vestita
hispidula
armata
paradoxa

ACACIA

hybrida
cordifolia
alata
pulchella
hispidissima
nigricans
discolor
angulata
pubescens
lophantha
decurrens
mollissima
dealbata
Wallichiana
acanthocarpa
ADENANDRA
uniflora
pulchella
amœna
acuminata
villosa
umbellata
fragrans
ADENOCARPUS
foliolosus
AGAPANTHUS
umbellatus
præcox
minima
AGATHEA
cœlestis
AGATHOSMA
dioica
pulchella
ciliata
obtusata
prolifera
ambigua

AGATHOSMA

cerefolium
hispidula
hirta
pubescens
villosa
imbricata
acuminata
reflexa
bruniades
AGAVE
americana
β variegata

AGERATUM

cœlestinum
AITONIA
capensis

ALOE

variegata
verrucosa
ALONSOA
acutifolia

ALOYSIA

citriodora

ALSTRÆMERIA

ovata
Flos Martini
Simsii
Pelegriana
β albiflora

AMMOBIUM

alatum
ANAGALLIS
fruticosa
Monelli

ANDERSONIA

sprengelioides

ANDROCymbium

eucomoides

- ANEMONE**
 capensis
ANIGOZANTHUS
 flavida
ANISANTHUS
 splendens
 Cunonia
ANOMATHECA
 junceae
ANTENNARIA
 triplinervis
ANTHERICUM
 pugioniforme
ANTHOLYZA
 æthiopica
 montana
ANTHYLLIS
 barba-jovis
 Hermannia
 erinacea
AOTUS
 villosa
APHELEXIS
 humilis
 sesamoides
 ericoides
 fasciculata
 α lutescens
 β versicolor
 γ alba
 δ rubra
ARAUCARIA
 brasiliensis
ARBUTUS
 canariensis
 laurifolia
ARCTOTIS
 aspera
 aureola
 maculata
 tricolor
 acaulis
ARISTEA
 capitata
 pusilla
 cyanea
ARISTOLOCHIA
 serpentaria
- ARTHROPODIUM**
 cirratum
 pendulum
ASPALATHUS
 carnosa
ASTELMA
 eximium
 spiralis
 variegatum
 speciosissimum
 imbricatum
 canescens
 retortum
ASTER
 tenellus
 aculeatus
 tomentosus
 argophyllus
ASTROLOMA
 humifusum
ATHRIXIA
 capensis
AULAX
 pinifolia
 umbellata
AZALEA
 indica
 α alba
 β coccinea
 γ phænicea
 δ purpureo-plena
BABIANA
 ringens
 tubiflora
 spathacea
 sambucina
 tenuiflora
 ochroleuca
 disticha
 plicata
 stricta
 purpurea
 villosa
 rubro-cyanea
BÆCKIA
 virgata
- BANKSIA**
 pulchella
 nutans
 ericifolia
 spinulosa
 collina
 insularis
 littoralis
 marginata
 australis
 integrifolia
 verticillata
 coccinea
 paludosa
 intermedia
 oblongifolia
 latifolia
 marcescens
 serrata
 æmula
 quercifolia
 dryandroides
 speciosa
 prostrata
 repens
BAROSMA
 serratifolia
 crenata
 ovata
 betulina
BAUERA
 rubiaefolia
 humilis
BEAUFORTIA
 decussata
BELIS
 jaculifolia
BILLOTIA
 acerosa
BLÆRIA
 ericoides
BLANDFORDIA
 grandiflora
 nobilis
BLUMENBACHIA
 insignis
BORONIA
 pinnata
 serrulata
 denticulata

BOSSIAEA
 microphylla
 cinerea
 linophylla
 heterophylla
 Scolopendrium

BOUVARDIA
 triphylla

BRUNIA
 nodiflora
 paleacea
 lanuginosa

BURCHELLIA
 capensis

BURSARIA
 spinosa

CALCEOLARIA
 corymbosa
 rugosa
 integrifolia

CALENDULA
 graminifolia
 dentata
 Tragus
 flaccida
 chrysanthemifolia

CALLICOMA
 serratifolia

CALLISTACHYS
 lanceolata
 ovata

CALLISTEMON
 viridiflorum
 salignum
 lanceolatum
 speciosum
 formosum
 rigidum
 lineare

CALODENDRUM
 capense

CALOTHAMNUS
 quadrifida
 clavatus
 villosa
 gracilis

CALOTIS
 cuneifolia

CALYSTEGIA
 reniformis

CALYTRIX
 glaber

CAMELLIA

Kissi
 euryoides

oleifera
 sasanqua

α alba
 β rosea

japonica
 α rubra

β alba
 γ semiduplex

δ rubro-plena
 ϵ carneo-plena

ζ myrtifolia
 η hexangularis

θ atrorubens
 ι crassinervis

κ anemoniflora
 λ dianthiflora

μ blanda
 ν variabilis

ξ pomponia
 \omicron pæoniflora

π Welbankii
 ρ luteo-alba

σ flavescens
 τ albo-plena

υ fimbriata
 ϕ variegata

χ involuta
 ψ rubricaulis

ω conchiflora
 ς expansa

η α Chandleri
 β β Aitoni

γ γ althæiflora
 δ δ corallina

ϵ ϵ insignis
 ζ ζ florida
 η η anemoniflora alba

CAMPANULA
 gracilis
 laciniata

CANARINA
 campanula

CARMICHÆLIA
 australis

CASSIA
 australis

CASSINIA
 spectabilis

aurea
 affinis

leptophylla

CAPPARIS
 Breynia

CASUARINA
 stricta

torulosa

CEANOTHUS
 azureus

africanus

CELASTRUS
 Pyracanthus

buxifolius
 lucidus

CHEIRANTHUS
 scoparius

CHIRONIA
 decussata

frutescens
 jasminoides

linoides
 baccifera

CHORIZEMA
 nana

Henchmanni

CLETHRA
 arborea

β variegata

CNEORUM
 tricoccum

CORIARIA
 sarmentosa

CORRÆA
 alba

virens
 speciosa

pulchella

- CRASSULA**
 coccinea
 versicolor
 odoratissima
 falcata
 ciliata
CROTALARIA
 purpurea
 arborescens
CROWEA
 saligna
CULLUMIA
 ciliaris
CUSSONIA
 thyrsoflora
 triptera
CYCLAMEN
 persicum
CYCLOPIA
 genistoides
 galioides
CYPHIA
 Phyteuma
 volubilis
CYTISUS
 proliferus
DAIS
 cotinifolia
DAPHNE
 odora
 altaica
 Gnidium
DAVIESIA
 acicularis
 ulicina
 glauca
 latifolia
 mimosoides
DIANELLA
 ensifolia
 cœrulea
 longifolia
 strumosa
DIGITALIS
 canariensis
 Sceptrum
DILLWYNIA
 cinerea
 ericifolia
 glaberrima
- DILLWYNIA**
 floribunda
 juniperina
DIOSMA
 rubra
 hirsuta
 succulenta
 cupressina
 ericoides
DISPORUM
 fulvum
DODONÆA
 triquetra
 oblongifolia
 cuneata
 aspleniifolia
 filiformis
 angustissima
DRACOPHYLLUM
 gracile
DRIMIA
 lanceæfolia
 revoluta
 acuminata
DRYANDRA
 floribunda
 cuneata
 armata
 falcata
 formosa
 mucronulata
 plumosa
 obtusa
 nivea
 longifolia
 Baxteri
 tenuifolia
 nervosa
 pteridifolia
EBENUS
 cretica
ECHIUM
 fruticosum
 candicans
 grandiflorum
EDWARDSIA
 minima
 microphylla
 chrysophylla
 grandiflora
- ELÆAGNUS**
 orientalis
ELÆOCARPUS
 reticulatus
EMPLEURUM
 serrulatum
ENKIANTHUS
 quinqueflora
ENTELEA
 arborescens
EPACRIS
 pulchella
 microphylla
 purpurascens
 grandiflora
 obtusifolia
ERICA
 acuminata
 Aitoniana
 albens
 amœna
 ampullacea
 andromedæflora
 arborea
 β stylosa
 Archeriana
 ardens
 aristata
 aurea
 baccans
 Bandoni
 Banksii
 barbata
 Bergiana
 bicolor
 blanda
 Blandfordiana
 Bonplandii
 Bowieana
 bruniades
 caffra
 campanulata
 carneola
 cerinthoides
 β villosa
 γ hirsuta
 cistifolia
 clavæflora
 coccinea
 colorans

ERICA

comosa
 α alba
 β rubra
 concava
 concinna
 conferta
 conspicua
 corifolia
 costata
 Coventryana
 cruenta
 cubica
 curviflora
 cylindrica
 daphnæflora
 daphnoides
 decora
 denticulata
 depressa
 dioica
 discolor
 echiiflora
 elata
 elegans
 empetrifolia
 empetrioides
 erosa
 erubescens
 Ewerana
 α glabra
 β speciosa
 γ pilosa
 exsurgens
 fascicularis
 fastigiata
 filamentosa
 fistulæflora
 formosa
 α alba
 β rubra
 furfurosa
 gelida
 gemmiflora
 glauca
 gracilis
 grandiflora
 halicacaba
 Hibbertiana
 hirtiflora

ERICA

hispidula
 hyacinthoides
 ignescens
 infundibuliformis
 Irbyana
 jasminiflora
 juliana
 lachnæfolia
 lævis
 Lambertiana
 lanata
 Lawsoni
 Leeana
 leucanthera
 Linnæana
 mammosa
 α atropurpurea
 β rosea
 margaritacea
 Massoni
 melanthera
 mirabilis
 monadelphæ
 Monsoniæ
 mucosa
 multiflora
 mundula
 Muscari
 mutabilis
 nigrita
 obbata
 odorata
 Parmentieri
 Patersoni
 pellucida
 pendula
 persoluta
 perspicua
 petiolata
 physodes
 picta
 pilosa
 Plukenetii
 prægnans
 præstans
 primuloides
 pyramidalis
 ramentacea
 regerminans

ERICA

resinosa
 retorta
 retroflexa
 rubens
 Savillii
 scariosa
 Sebana
 α alba
 β lutea
 γ purpurea
 serratifolia
 sessiliflora
 sexfaria
 Shannoni
 simpliciflora
 Sparmanni
 speciosa
 spumosa
 stellata
 sulphurea
 taxifolia
 tenella
 tenuiflora
 Thunbergii
 translucens
 transparens
 triflora
 tubiflora
 tumida
 umbellata
 urceolaris
 ventricosa
 α alba
 β superba
 γ tricolor
 versicolor
 verticillata
 vestita
 α alba
 β carnea
 γ coccinea
 δ fulgida
 ϵ purpurea
 ζ rosea
 η flava
 viscaria

ERIOBOTRYA

japonica

- ERIOCEPHALUS**
africanus
- ERIOSPERMUM**
lanceæfolium
parvifolium
latifolium
paradoxicum
folioliferum
lanuginosum
pubescens
- EUCALYPTUS**
robusta
reticulata
resinosa
globulus
longifolia
pulverulenta
alata
perfoliata
heterophylla
marginata
media
corymbosa
mucronata
albicaulis
piperita
triantha
rotundifolia
elongata
myrtifolia
microphylla
stenophylla
angustifolia
hypericifolia
purpurascens
verrucosa
- EUCHILUS**
obcordatus
- EUCLEA**
racemosa
- EUCOMIS**
nana
striata
punctata
undulata
regia
- EUGENIA**
myrtifolia
elliptica
- EUTAXIA**
myrtifolia
- FABRICIA**
lævigata
- FERRARIA**
divaricata
undulata
obtusifolia
uncinata
angustifolia
- FUCHSIA**
gracilis
virgata
macrostemma
excorticata
coccinea
lycioides
arborescens
- GASTROLOBIMUM**
bilobum
- GAZANIA**
uniflora
rigens
heterophylla
pavonia
- GEISSORHIZA**
vaginata
obtusata
secunda
excisa
- GENISTA**
linifolia
canariensis
- GERBERIA**
crenata
- GLADIOLUS**
viperatus
alatus
Watsonius
brevifolius
hirsutus
versicolor
mutabilis
hastatus
tristis
concolor
Colvillii
recurvus
carneus
cuspidatus
- GLADIOLUS**
blandus
undulatus
Milleri
cardinalis
- GNIDIA**
sericea
imbricata
oppositifolia
pinifolia
 β ochroleuca
imberbis
simplex
- GOMPHOCARPUS**
arborescens
fruticosus
- GOMPHOLOBIUM**
polymorphum
grandiflorum
latifolium
- GOODIA**
lotifolia
pubescens
- GREVILLEA**
juniperina
linearis
sericea
arenaria
cinerea
mucronulata
buxifolia
- HAKEA**
pugioniformis
obliqua
gibbosa
acicularis
microcarpa
suaveolens
Lamberti
florida
ilicifolia
nitida
prostrata
acanthophylla
ruscifolia
ceratophylla
oleifolia
saligna
cinerea
dactyloides

HAKEA

elliptica
cucullata

HELICHRYSUM

fruticans
grandiflorum
congestum
ericoides
apiculatum
fulgidum
dealbatum
paniculatum

HELIOTROPIUM

corymbosum
hybridum
peruvianum

HIBBERTIA

pedunculata

HOMERIA

exaltata
porrifolia
lineata
miniata
flaccida
lutea

HOVEA

longifolia
linearis
Celsi

HOVENIA

dulcis
inæqualis

HYDRANGEA

hortensis

HYPERICUM

balearicum
monogynum
ægyptiacum
Coris

HYPOCALYPTUS

obcordatas

HYPOXIS

sobolifera
villosa
stellata
stellipilis

ILLICIUM

floridanum
parviflorum

INDIGOFERA

psoraloides
incana
amœna
coriacea
cytisoides
juncea
australis

IRIS

fimbriata

ISOPOGON

formosus
anethifolius
anemonefolius
longifolius

IXIA

linearis
aulica
patens
flexuosa
hybrida
conica
capitata
monadelphæ
curta
columellaris
maculata
viridiflora
ochroleuca
erecta
crateroides
leucantha
retusa
scillaris
crispa

IXODIA

achillæoides

KERRIA

japonica

KIGGELARIA

africana

KNOWLTONIA

rigida
vesicatoria

LACHENALIA

contaminata
sessiliflora
anginea
pustulata
racemosa

LACHENALIA

nervosa
mutabilis
bifolia
tricolor
quadricolor
pendula

LACHNÆA

conglomerata
eriocephala
purpurea

LAMBERTIA

formosa
echinata

LAPEYROUSIA

corymbosa
anceps
aculeata

silenoides

LASIOPETALUM

parviflorum
ferrugineum

LAURUS

Camphora

LECHENAUTIA

formosa

LEONOTIS

Leonurus

LEPTOSPERMUM

scoparium
grandiflorum
rubricaulis
flavescens
emarginatum
lanigerum
pubescens
grandifolium
parvifolium
arachnoidium
juniperinum
ambiguum

LEUCADENDRON

argenteum
Levisanus
cinereum
corymbosum
decorum
ovale
concolor
grandiflorum

LEUCADENDRON LUPINUS

adscendens

salignum

angustatum

uliginosum

floridum

LEUCOPOGON

lanceolatus

juniperinus

LEUCOSPERMUM

lineare

Cenocarpum

LEUCOSTEMMA

vestitum

LIGUSTRUM

lucidum

LILIUM

japonicum

longiflorum

concolor

LINARIA

tristis

triornithophora

LINUM

trigynum

arboresum

africanum

LIPARIA

sphærica

LOBELIA

unidentata

Erinus

pubescens

hirsuta

lutea

coronopifolia

LODDIGESIA

oxalidifolia

LOGANIA

floribunda

LOMATIA

silaifolia

longifolia

LOTUS

jacobæus

australis

mutabilis

arbores

*a luteus**β cœruleus***LYCHNIS**

coronata

LYSINEMA

pungens

*a alba**β rubra***LYTHRUM**

alatum

MAGNOLIA

fuscata

pumila

obovata

Kobus

conspicua

MAHERNIA

pinnata

glabrata

incisa

grandiflora

MALVA

amœna

grossulariæfolia

fragrans

capensis

longifolia

MASSONIA

candida

grandiflora

MELALEUCA

diosmifolia

stypheloides

genistifolia

striata

squamea

nodosa

erubescens

ericifolia

armillaris

uncinata

scabra

pulchella

thymifolia

rotundifolia

decussata

parviflora

MELALEUCA

fulgens

linariifolia

imbricata

hypericifolia

lanceolata

squarrosa

calycina

densa

lanata

MELASPHÆRULA

iridifolia

intermedia

graminea

**MESEMBRYAN-
THEMUM**

tigrinum

dolabriforme

capitatum

pugioniforme

edule

spectabile

conspicuum

cordifolium

splendens

stramineum

aureum

glaucum

aurantium

coccineum

bicolorum

variabile

tenuifolium

scabrum

versicolor

emarginatum

deflexum

polyanthon

speciosum

micans

hispidum

striatum

densum

multiflorum

umbellatum

radiatum

aduncum

maximum

lacerum

MESEMBRYAN-	MYRTUS	OXALIS
THEMUM	<i>communis</i>	<i>grandiflora</i>
<i>inclaudens</i>	<i>α romana</i>	<i>speciosa</i>
<i>deltoides</i>	<i>β flore pleno</i>	<i>variabilis</i>
METROSIDEROS	<i>γ tarentina</i>	<i>lanata</i>
<i>floribunda</i>	<i>δ italica</i>	<i>cernua</i>
<i>hispida</i>	<i>ε bœtica</i>	<i>versicolor</i>
<i>glomulifera</i>	<i>ξ lusitanica</i>	<i>rubella</i>
MIMULUS	<i>η belgica</i>	<i>rosacea</i>
<i>glutinosus</i>	<i>θ mucronata</i>	<i>hirta</i>
MIRBELIA	NANDINA	<i>pentaphylla</i>
<i>reticulata</i>	<i>domestica</i>	<i>flabellifolia</i>
MONTINIA	NERIUM	<i>flava</i>
<i>acris</i>	<i>Oleander</i>	OXYLOBIUM
MORÆA	<i>α roseum</i>	<i>cordifolium</i>
<i>pavonia</i>	<i>β album</i>	<i>arborescens</i>
<i>tripetaloides</i>	<i>odorum</i>	<i>retusum</i>
<i>unguicularis</i>	<i>α carneum</i>	PASSERINA
<i>glaucoapis</i>	<i>β flavescens</i>	<i>filiformis</i>
<i>Bellendeni</i>	<i>γ flore pleno</i>	<i>tenuifolia</i>
<i>tricuspis</i>	<i>δ splendens</i>	<i>grandiflora</i>
<i>villosa</i>	ÆDERA	<i>spicata</i>
<i>Tenoreana</i>	<i>prolifera</i>	PATERSONIA
<i>tristis</i>	OLEA	<i>glauc</i>
<i>angusta</i>	<i>fragrans</i>	<i>glabrata</i>
MUNDIA	<i>capensis</i>	PENÆA
<i>spinosa</i>	ONONIS	<i>squamosa</i>
MURALTIA	<i>Natrix</i>	<i>mucronata</i>
<i>Heisteria</i>	ORIGANUM	PERSOONIA
<i>alopecnroides</i>	<i>Sipyleum</i>	<i>pinifolia</i>
<i>squarrosa</i>	<i>Dictamnus</i>	<i>linearis</i>
<i>stipulacea</i>	<i>Tournefortii</i>	<i>lanceolata</i>
<i>diffusa</i>	ORNITHOGALUM	<i>laurina</i>
<i>virgata</i>	<i>tenellum</i>	<i>hirsuta</i>
<i>mixta</i>	<i>niveum</i>	PETROPHILA
MYOPORUM	<i>arabicum</i>	<i>pulchella</i>
<i>ellipticum</i>	<i>thyrsoides</i>	PHARNACEUM
<i>tuberculatum</i>	<i>aureum</i>	<i>incanum</i>
<i>parvifolium</i>	<i>Synnoti</i>	PHÆNOCOMA
<i>oppositifolium</i>	<i>caudatum</i>	<i>prolifera</i>
<i>debile</i>	<i>Squilla</i>	PHOTINIA
MYRICA	ORNITHOGLOSSUM	<i>serrulata</i>
<i>laciniata</i>	<i>undulatum</i>	<i>arbutifolia</i>
<i>quercifolia</i>	OTHONNA	PHYLICA
<i>cordifolia</i>	<i>pectinata</i>	<i>ericoides</i>
MYRSINE	<i>abrotanifolia</i>	<i>pubescens</i>
<i>africana</i>	<i>pinnata</i>	<i>capitata</i>
<i>retusa</i>	<i>bulbosa</i>	<i>plumosa</i>
<i>melanophleas</i>	<i>perfoliata</i>	<i>buxifolia</i>
		<i>Hookeri</i>

PIMELEA

rosea
decussata
linifolia
paniciflora

PITTOSPORUM

viridiflorum
coriaceum
Tobira
undulatum
revolutum
tenuifolium

PLATYLOBIUM

formosum
parviflorum
triangulare

PODALYRIA

styracifolia
calyptрата
sericea
buxifolia
myrtillifolia

PODOCARPUS

macrophyllus
chinensis
elongatus

PODOLOBIUM

trilobatum
staurophyllum

POLYGALA

bracteolata
speciosa
ligularis
myrtifolia
latifolia
oppositifolia
cordifolia
borboniæfolia
attenuata

POMADERRIS

apetala
aspera
phylicifolia
acuminata
discolor
intermedia
elliptica
lanigera

PRIESTLEYA

hirsuta

PRIESTLEYA

villosa
sericea
vestita

PRIMULA

prænitens
α rosea
β albiflora

PROSTANTHERA

Lasianthos
violacea

PROTEA

cynaroides
speciosa
obtusata
formosa
melaleuca
pulchella
neriifolia
mellifera
grandiflora
Scolymus
acaulis
acerosa

PSORALEA

pinnata
odoratissima
aculeata
bracteata
spicata
aphylla

PULTENÆA

daphnoides
retusa
stricta
linophylla
paleacea
stipularis
tenuifolia
villosa

RAPHIOLEPIS

indica
rubra
phæostemon
salicifolia

REAUMURIA

hypericoides

RELHANIA

pungens

RENEALMIA

grandiflora

RHODODENDRON

arboreum

RHUS

Amela
vernificera
acuminata
lucida
Burmanni
angustifolia
tomentosa

RICHARDIA

æthiopica
chinensis

ROELLA

ciliata

ROYENA

hirsuta
pubescens
villosa
lucida

RUBUS

parvifolius
reflexus
rosæfolius
β flore pleno

RULINGIA

dasyphylla
pannosa

SALVIA

formosa
aurea
chamædryoides

SARCOPHYLLUM

carnosum

SCABIOSA

africana

SCÆVOLA

microcarpa

SELAGO

fasciculata
ovata
diffusa

SEPTAS

capensis
globifera

SERINGIA

platyphylla

SERISSA fœtida	STYPHELIA triflora	TRITONIA anigozanthiflora
SERRURIA glomerata	viridiflora	crispa
Burmanni	longifolia	longiflora
ciliata	tubiflora	tenuiflora
cyanoides	SUTHERLANDIA frutescens	lineata
phylicoides	SWAINSONA coronillæfolia	flava
SOWERBÆA juncea	galegifolia	squalida
SPARAXIS tricolor	astragalifolia	fenestrata
versicolor	SYNNOTIA variegata	crocata
grandiflora	bicolor	deusta
liliago	TAXANTHEMA sinuata	miniata
bulbifera	mucronata	UROPETALON glaucum
SPARMANNIA africana	monopetala	VELTHEIMIA glauca
SPHÆROLOBUM vimineum	TELOPEA speciosissima	viridifolia
SPHENOGYNE pilifera	TEMPLETONIA retusa	VERONICA perfoliata
crithmifolia	glauca	decussata
abrotanifolia	THALIA dealbata	VESTIA lycioides
SPRENGELIA incarnata	THEA viridis	VIBURNUM rugosum
STAAVIA radiata	Bohea	odoratissimum
glutinosa	THOMASIA solanacea	VILLARSIA ovata
STATICE fasciculata	quercifolia	exaltata
STENANTHERA pinifolia	purpurea	geminata
STENOCARPUS salignus	THYSANOTUS junceus	VIMINARIA denudata
STENOCHILUS maculatus	TRICHONEMA speciosum	VIRGILIA capensis
glaber	roseum	VISNEA Mocanera
STRUTHIOLA erecta	pudicum	WACHENDORFIA paniculata
juniperina	cruciatum	thyrsiflora
pubescens	monadelphum	hirsuta
incana	TRISTANIA neriifolia	brevifolia
imbricata	laurina	Breyniana
STYLIDIUM graminifolium	arborescens	graminea
laricifolium	conferta	WATSONIA roseo-alba
adnatum	TRITOMA pumila	marginata
fruticosum	media	β minor
	Uvaria	breviflora
		humilis
		rosea
		iridifolia

WATSONIA
fulgida
Meriana
aletroides
plantaginea

WATSONIA
spicata

WITSENIA
corymbosa


XYLOMELUM
pyriforme

ZIERIA
lanceolata

GERANIACEÆ;

OR,

PLANTS BELONGING TO THE FAMILY OF
GERANIUM.



CAMPYLIA

elegans. g.
cana. g.
blattaria. g.
verbasciflora. g.
pallida. g.
carinata. g.
holosericea. g.
villosa. g.

CICONIUM. g.

acetosum
hybridum
cerinum
pumilum
lateritium
heterogamum
malvæfolium
monstrum
zonale

β crystallinum
 γ marginatum
reticulatum
albidum
Fothergillii
 α coccineum
 β purpureum

CICONIUM. g.

humile
fulgens
Bentineckianum
bracteosum
crenatum
æqualiflorum
micranthum

DIMACRIA

bipartita. g.
astragalifolia. g.
imbuta. g.
pinnata. g.
sulphurea. g.
elegans. g.
fulgens. g.
depressa. g.
rumicifolia. g.

ERODIUM

crassifolium. g.
caucalifolium. g.
serotinum. h.
Reichardi. h.
hymenodes. g.
Gussonii. h.
incarnatum. g.

D

GERANIUM

sibiricum. h.
sanguineum. h.
prostratum. h.
Londesii. h.
tuberosum. h.
anemonefolium. g.
macrorrhizum. h.
phæum. h.
reflexum. h.
lividum. h.
nodosum. h.
striatum. h.
angulatum. h.
ibericum. h.
sylvaticum. h.
Wallichianum. f.
palustre. h.
aconitifolium. h.
eriosomon. h.
Vlassovianum. h.
collinum. h.
pratense. h.
maculatum. h.
argenteum. h.
pyrenaicum. h.

GERANIUM
nepalense. *h.*
pilosum. *h.*

GRIELUM
tenuifolium. *g.*
laciniatum. *g.*

HOAREA. g.
corydaliflora
carinata
rapacea
setosa
bicolor
varia
selinifolia
atrosanguinea
elegans
coccinea
recurviflora
sanguinolenta
pulchella
amœna
patens
lilacina
venosa
literata
labyrinthica
hedyсарifolia
galegifolia
coluteæfolia
orobifolia
congesta
retusa
Jenkinsoni
reticulata
ovalifolia
radicata
nivea
sisymbriifolia
Colvillii
undulæflora
diluta
replicata
rubescens
intermixta
capitata
superba
villosa
unguiculata
tenuifolia

HOAREA. g.
marginata
violæflora
oxalidifolia
magica
nigricans
integrifolia
fuscata
atra
dioica
melanantha

ISOPETALUM
Cotyledonis
? discipes

JENKINSONIA
tetragona
quinata
pendula
Synnoti
myrrhifolia
lacera
coriandrifolia

MONSONIA. g.
speciosa
pilosa
lobata

OTIDIA. g.
carnosa
laxa
dasycaulon
ceratophylla
crithmifolia
alternans

PELARGONIUM. g.
armatum
echinatum
comptum
intermedium
sæpeflorens
reniforme
flexuosum
particeps
erectum
Stapletoni
cortusæfolium
crassicaule
 α album
 β maculatum

PELARGONIUM. g.
anomalum
campyliæflorum
circumflexum
adscendens
brassicatum
sinapifolium
vespertinum
mutabile
gibbosum
glanciifolium
rapæfolium
luridum
pedicellatum
orbiculatum
Jonquillinum
lobatum
heracleifolium
pulverulentum
millefoliatum
scabridum
filipendulifolium
triste
flavum
pedunculatum
rutaceum
multiradiatum
sanguineum
concavum
conclausum
clausum
concretum
quinquevulnerum
bicolor
 α atrum
 β pallidum
imbricatum
puniceum
pusillum
pygmæum
ringens
ardens
confertifolium
chærophyllum
nitidum
sphondyliifolium
brevipes
cruentum
pulchellum
pallens

PELARGONIUM.g. PELARGONIUM.g. PELARGONIUM.g.

paradoxum	<i>α maculatum</i>	Barringtonii
caryophyllaceum	<i>β atrorubens</i>	coarctatum
acidum	<i>γ striatum</i>	cucullatum
intertextum	<i>δ recurvum</i>	<i>β major</i>
venulosum	<i>ε purpurascens</i>	<i>γ grandiflorum</i>
Avronianum	Broughtoniæ	<i>δ parvifolium</i>
aulicum	Bakerianum	involutum
patens	Valletii	<i>α maximum</i>
hoaræflorum	Humei	<i>β albidum</i>
dimacriæflorum	basilicum	<i>γ incarnatum</i>
mundulum	flaccidum	<i>δ intermedium</i>
amœnum	cartilagineum	<i>ι lilacinum</i>
hirtum	suffusum	<i>ζ coriaceum</i>
anthriscifolium	argutum	<i>η grandiflorum</i>
magnistipulatum	Goweri	<i>θ maculatum</i>
fulgidum	latifolium	Mostynæ
aurantiacum	foliosum	planiflorum
<i>α undulatum</i>	Wellsianum	calycinum
<i>β planifolium</i>	concolor	<i>β maculatum</i>
ardescens	<i>β major</i>	<i>γ angulatum</i>
torrefactum	rubicundum	Robinsoni
chenopodiifolium	carnescens	Baileyana
volatiferum	Smithii	Chandleri
variifolium	Kingii	robustum
luculentum	pavoninum	solubile
dilectum	floccosum	fasciculatum
incurvum	eriphorum	multinerve
Potteri	heteromallum	formosum
chelidoniifolium	Daveyanum	blandum
quadriflorum	phœniceum	candidum
cuneiflorum	irregulare	pannifolium
insignitum	flammeum	striatum
laxiflorum	affine	speciosum
hæmanthum	incomparabile	<i>β rubrum</i>
multiflorum	hibiscifolium	Brownii
exile	Allenii	Youngii
gracilescens	Couttsiæ	obscurum
splendidum	mucronatum	Jenkinsoni
consimile	schizophyllum	tyrianthinum
ignescens	Barnardianum	polytrichum
<i>α major</i>	dilatatum	purum
<i>β sterile</i>	heterotrichum	verecundum
<i>γ coccineum</i>	rhodanthum	incarnatum
rubescens	Southcoteanum	Foljambeæ
Boscaweniæ	Hesilregiæ	recurvifolium
Colvillii	Milleri	bryoniæfolium
flammeum	atrorubens	fusciflorum
Tibbittianum	rutilum	exornatum
spectabile	nanum	atrofusum

PELARGONIUM.g. PELARGONIUM.g. PELARGONIUM.g.

coruscans	opulifolium	Broadleæ
Fairlieæ	electum	atropurpureum
Josephinæ	triumphans	delicatum
venustum	pectenifolium	Comptoniæ
paucidentatum	saniculæfolium	discolor
aceroides	Parmentieri	imbutum
interlitum	Vandenbrandii	decorum
lividum	cuspidatum	obtusilobum
ramulosum	compar	dumosum
Hammersleæ	Hoareanum	ornatum
lepidum	lanceolatum	mixtum
platypetalon	glaucum	crispum
α rigidum	trifoliatum	β roseum
β hirsutum	trifurcatum	γ album
pulchrum	acutifolium	Irbyanum
pulcherrimum	notabile	incarnatum
difforme	limonium	lineatum
rugosum	citriodorum	Perryanum
villosum	rubidum	fragile
cardiifolium	myrtillum	concinnum
formosissimum	jocundum	melissinum
floridum	odoriferum	adulterinum
Watsoni	Sabini	propinquum
nervosum	florescens	bellulum
principissæ	recurvatum	strictum
accedens	acutilobum	nitidum
Dennisianum	Mattocksianum	scintillans
æmulum	dependens	balsameum
Beaufortiæ	Brightianum	Boyleæ
Gardneriæ	cosmianum	biflorum
grandiflorum	modestum	betulinum
amplissimum	notatum	ternatum
macranthon	incanescens	Rowedi
versicolor	planifolium	acerifolium
glabrum	labyrinthicum	rigescens
crenæflorum	inscriptum	eriphyllum
platanifolium	veniferum	cordatum
smyrniifolium	Saundersii	papilionaceum
expansum	affluens	verbenæfolium
multidentatum	rhodolentum	ribifolium
grandidentatum	Newshamianum	capitatum
Belladonna	penicillatum	congestum
serratifolium	optabile	cynosbatifolium
malvaceum	Lousadianum	pyrethriifolium
conchiifolium	Seymouriæ	anthemifolium
lucidum	Beadoniæ	denticulatum
Barnardianum	Thynneæ	viscosissimum
sceleratum	Lamberti	chrysanthemifolium
asperifolium	Scarboroviæ	sphærocephalon

PELARGONIUM.g.	PELARGONIUM.g.	PELARGONIUM g.
graveolens	latilobum	alchimilloides
β <i>variegatum</i>	obcordatum	Heritieri
Blandfordianum	incomparabile	tabulare
Vandesia	lasiophyllum	peltatum
quercifolium	angustum	scutatum
Spinii	β <i>Brucii</i>	pinguifolium
glutinosum	tomentosum	lateripes
β <i>luciniatum</i>	anstrale	α <i>roseum</i>
eximium	dissectum	β <i>rubrum</i>
Essexia	inodorum	elegans
oblatum	humifusum	■ <i>major</i>
Husseyanum	odoratissimum	β <i>minor</i>
conspicuum	fragrans	ovale
Breeseanum	exstipulatum	PHYMATANTHUS.g
dilatatum	incisum	tricolor
Dobreeanum	canescens	elatus
Bisshoppæ	tripartitum	latifolius
signatum	abrotanifolium	SEYMOURIA
calocephalon	senecioides	asarifolia
rotundilobum		

CHINA ROSES.



ROSA

sinica
Banksia
 α *alba*
 β *lutea*
involuta
bracteata
multiflora
 α *rosea*
 β *coccinea*
Grevillii
Roxburghii
Noisetti
 α *blanda*
 β *purpurea*
 γ *grandiflora*

ROSA

Fraseri
Boursoultii
microphylla
clinophylla
hyacinthina
indica
 β *minor*
 γ *media*
 δ *centifolia*
 ε *purpurea*
 ζ *albiflora*
 η *Terneauxii*
 θ *fragrans*
 ■ *nigricans*
 χ *moschata*

ROSA

odorata
 α *alba*
 β *flavescens*
Lawranceana
 α *simpliciflora*
 β *flore pleno*
semperflorens
 α *simpliciflora*
 β *atrorubens*
 γ *Bichonii*
 δ *refulgens*
 ■ *resplendens*
 ζ *fragrans*
 η *minima*

HARDY CLIMBERS.



AMPELOPSIS hederacea	HEDERA canariensis	PASSIFLORA β <i>glauca</i>
ARISTOLOCHIA Sipho	Helix	γ <i>angustifolia</i>
tomentosa	β <i>poetica</i>	Colvillii
ATRAGENE americana	γ <i>variegata</i>	PERIPLOCA græca
austriaca	JASMINUM officinale	ROSA Boursoulti
sibirica	fruticans	hyacinthina
ochotensis	revolutum	multiflora
BIGNONIA capreolata	humile	sempervirens
radicans	LONICERA Caprifolium	Longii
α <i>major</i>	α <i>alba</i>	RUBUS laciniatus
β <i>minor</i>	β <i>rubra</i>	fruticosus <i>fl. pleno</i>
CELASTRUS scandens	dioica	SMILAX aspera
CLEMATIS florida	flava	β <i>auriculata</i>
α <i>simplex</i>	pubescens	quadangularis
β <i>flore pleno</i>	sempervirens	Sarsaparilla
Viticella	β <i>minor</i>	rotundifolia
α <i>rubra</i>	grata	laurifolia
β <i>purpurea</i>	implexa	tamnoides
γ <i>flore pleno</i>	Periclymenum	caduca
Viorna	β <i>serotina</i>	bona nox
cylindrica	γ <i>belgica</i>	lanceolata
crispa	δ <i>quercifolium</i>	VITIS Labrusca
calycina	chinensis	vulpina
cirrhusa	LYCIUM barbarum	riparia
glauca	chinense	rotundifolia
orientalis	ruthenicum	laciniosa
Vitalba	MENISPERMUM canadense	WENDLANDIA populifolia
reticulata	virginicum	WISTERIA frutescens
flammula	PASSIFLORA cœrulea	chinensis
DECUMARIA barbara		
sarmentosa		

HARDY FLOWERING SHRUBS,

REQUIRING PEAT SOIL.



AMMYRSINE

buxifolia

ANDROMEDA

mariana

speciosa

a nitida

β glauca

γ pulverulenta

rosmarinifolia

glaucophylla

polifolia

β media

γ oleifolia

δ subulata

arborea

spicata

racemosa

Catesbæi

axillaris

β longifolia

coriacea

acuminata

calyculata

■ ventricosa

β latifolia

angustifolia

ARCTOSTAPHYLOS

Uva-ursi

alpina

AZALEA

pontica

β albiflora

γ albido-plena

δ tricolor

■ rosea

calendulacea

AZALEA

■ crocea

β flammea

γ chrysolecta

■ grandiflora

ε cuprea

ζ splendens

η triumphans

θ ignescens

canescens

speciosa

■ major

β crispa

γ aurantia

δ obliqua

■ prunifolia

ζ cucullata

η revoluta

θ ciliata

■ acutifolia

■ undulata

λ tortulifolia

nudiflora

a alba

β albo-plena

γ blanda

δ carnea

ε carneola

ζ coccinea

η concolor

θ coronata

ι corymbosa

κ crispa

λ cumulata

μ discolor

ν fastigiata

AZALEA

o globosa

π glomerata

ρ incarnata

σ mirabilis

τ magnificans

υ pallida

φ papilionacea

χ partita

ψ parviflora

ω prolifera

aa pumila

ββ pulcherrima

γγ precedentia

δδ pubescens coccinea

εε purpurascens

ζζ purpurea

ηη purpureo-plena

θθ rosea

u ruberrima

κκ rubescens

λλ rubicund■

μμ rubra

νν rubro-plena

ξξ rutilans

οο semiduplex

ππ staminea

ρρ stellata

σσ variabilis

ττ variegata

υυ versicolor

φφ violacea

χχ elegans

ψψ formosa

ωω lugens

- bicolor**
viscosa
a odorata
β crispa
γ dealbata
δ vittata
■ penicillata
ζ variegata
η rubescens
θ pubescens
■ fissa
nitida
salicifolia
glauca
hispida
CALLUNA
vulgaris
a rubra
β alba
γ flore pleno
CALYCANTHUS
floridus
β glaucus
lævigatus
fertilis
CEANOTHUS
americanus
CEPHALANTHUS
occidentalis
CHIONANTHUS
virginicus
maritimus
CLETHRA
alnifolia
tomentosa
paniculata
acuminata
COMPTONIA
asplenifolia
DAPHNE
Cneorum
β rosea
Tartan raira
alpina
altaica
DIRCA
palustris
EMPETRUM
nigrum
- EPIGÆA**
repens
ERICA
carnea
mediterranea
vagans
a rubra
β alba
cinerea
a rosea
β purpurea
γ atropurpurea
δ alba
ramulosa
stricta
Tetralix
a rubra
β alba
ciliaris
australis
scoparia
viridipurpurea
FOTHERGILLA
alnifolia
major
Gardeni
serotina
GAULTHERIA
procumbens
serpyllifolia
GORDONIA
pubescens
HYDRANGEA
hortensis
ITEA
virginica
KALMIA
latifolia
glauca
angustifolia
β rubra
γ variegata
LEDUM
latifolium
palustre
β decumbens
LOISELEURIA
procumbens
- LYONIA**
salicifolia
paniculata
capreæfolia
multiflora
MAGNOLIA
glauca
longifolia
Thompsoniana
MENZIESIA
globularis
polifolia
β nana
cœrulea
MYRICA
Gale
cerifera
carolinensis
pennsylvanica
ONONIS
spinosa
fruticosa
OXYCOCCUS
hispidulus
palustris
macrocarpus
erectus
POLYGALA
chamæbuxus
PRINOS
glaber
lævigatus
lanceolatus
RHODODENDRON
ferrugineum
hirsutum
dauricum
β altaicum
γ atrovirens
arborescens
a coccineum
β roseum
γ album
punctatum
■ minus
obtusum
myrtifolium
caucasicum
β major
maximum

RHODODENDRON	STUARTIA	VACCINIUM
catawbiense	pentagyna	virgatum
α vera	Malachodendron	marianum
β hybrida	VACCINIUM	grandiflorum
ponticum	album	elongatum
β roseum	stamineum	minutiflorum
γ album	pallidum	glabrum
δ variegatum	uliginosum	ligustrinum
ε marginatum	diffusum	tenellum
ζ multiplex	dun. osum	maderense
azaleoides	fuscatum	halleriæfolium
chrysanthum	frondosum	crassifolium
chamæcistus	venustum	Vitis Idæa
RHODORA	corymbosum	nitidum. f.
canadensis	amœnum	buxifolium

HARDY TREES AND SHRUBS.



Those marked thus (*) are Evergreen. (f.) require the Protection of a Frame in severe Weather.

ACACIA	ÆSCULUS	AMYGDALUS
Julibrissin	Hippocastanum	communis
acanthocarpa	Pavia	amara
ACER	discolor	nana
tataricum	flava	pumila
Pseudo-Platanus	parviflora	prostrata
rubrum	AILANTHUS	ARALIA
dasycarpum	glandulosa	spinosa
saccharinum	ALNUS	ARBUTUS
platanoides	glutinosa	laurifolia*
β laciniatum	β laciniata	Andrachne*
striatum	AMELANCHIER	hybrida*
campestre	vulgaris	Unedo*
neapolitanum	Botryapium	β rubra
Opalus	AMORPHA	γ plena
monspessulanum	fruticosa	ARISTOTELIA
creticum	nana	Macqui*
Negundo		

ARONIA

arbutifolia
melanocarpa
floribunda

ARTEMISIA

Absinthium

ASIMINA

triloba

ASTRAGALUS

Tragacantha

ATRIPLEX

Halimus*
portulacoides*

AUCUBA

japonica*

BACCHARIS

halimifolia*

BERBERIS

vulgaris
canadensis
chinensis

aristata

sibirica

aquifolia

BETULA

alba

β *pendula*

papyracea

lenta

nana

pumila

BROUSSONETIA

papyrifera

mascula

femina

BUDDLEA

globosa*

BUPLEURUM

fruticosum*

BUXUS

balearicus*

sempervirens*

β *variegata**

γ *angustifolia**

δ *suffruticosa**

CALOPHACA

wolgarica

CARAGANA

arborescens

Altagana

CARAGANA

Redowskii

spinosa

Chamlagu

frutescens

pygmæa

CARPINUS

Betulus

β *incisa*

CASTANEA

vesca

β *variegata*

γ *asplenifolia*

pumila

CATALPA

syringæfolia

CELTIS

occidentalis

Tournefortii

CERASUS

nigra

pensylvanica

sempervirens

Mahaleb

japonica

Laurocerasus*

caroliniana*

lusitanica*

serotina

virginiana

Padus

CERCIS

canadensis

Siliquastrum

CHIMONANTHUS

fragrans

β *lutea*

γ *grandiflora*

CISTUS

latifolius. f.*

populifolius*

corbariensis*

longifolius*

psilosepalus*

laurifolius*

cyprius*

ladaniferus*

α *albiflorus*

β *maculatus*

CISTUS

platysepalus*

monspeliensis*

Clusii. f.*

laxus*

hirsutus*

obtusifolius*

Sibthorpii*

salvifolius*

candidissimus. f.*

vaginatus. f.*

canescens. f.*

incanus. f.*

purpureus. f.*

albidus. f.*

villosus. f.*

crispus *

heterophyllus. f.*

parviflorus. f.*

CNEORUM

tricoccum *

COLUTEA

nepalensis

arborescens

media

Pocockii

cruenta

CORARIA

myrtifolia

CORNUS

florida

mascula

sanguinea

β *variegata*

alba

sericea

circinata

stricta

fastigiata

paniculata

alternifolia

CORONILLA

Emerus

CORYLUS

Avellana

β *alba*

γ *rubra*

americana

rostrata

- COTONEASTER**
vulgaris
tomentosa
eriocarpa
affinis
acuminata
- CRATÆGUS**
coccinea
cordata
pyrifolia
elliptica
glandulosa
flava
parvifolia
punctata
Crus-galli
a splendens
β pyracanthifolia
γ salicifolia
- Pyracantha*
Oxyacantha
β rosea
γ major
δ præcox
ε plena
ζ aurea
monogyna
Azarolus
tanacetifolia
odoratissima
- CUPRESSUS**
*sempervirens**
thyoides *
- CYDONIA**
vulgaris
chinensis
japonica *
β albiflora
- CYTISUS**
albus
β incarnatus
Laburnum
alpinus
nigricans
sessilifolius
patens
scoparius
β multiplex
purpureus
biflorus
- CYTISUS**
elongatus
austriacus
supinus
hirsutus
capitatus
argenteus
calycinus
- DAPHNE**
Mezereum
■ rubrum
β album
γ præcox
Laureola *
pontica *
β rubra
altaica
oleoides *
collina *
hybrida *
- DIERVILLA**
humilis
- DIOSPYROS**
Lotus
virginiana
- DIOTIS**
ceratoides
- ELÆAGNUS**
angustifolius
orientalis
- EUONYMUS**
europæus
β leucocarpus
verrucosus
latifolius
atropurpureus
americanus *
- FAGUS**
sylvatica
β purpurea
comptoniæfolia
- FRAXINUS**
simplicifolia
excelsior
β pendula
aurea
atrovirens
- GENISTA**
candicans *
triquetra
- GENISTA**
radiata
lusitanica
scorpius. f.
hispanica
anglica
germanica
sericea
tinctoria
sibirica
florida
ovata
sagittalis
diffusa
prostrata
procumbens
pilosa
- GLEDITSCHIA**
triacanthos
β inermis
horrida
- GYMNOCLADUS**
canadensis
- HALESIA**
tetraptera
- HALIMODENDRON**
argenteum
- HAMAMELIS**
virginica
- HELIANTHEMUM***
umbellatum. f.
ocymoides. f.
rugosum. f.
microphyllum. f.
candidum. f.
halimifolium. f.
canadense
brasiliense. f.
polygalæfolium. f.
lignosum. f.
formosum. f.
algarvense. f.
Lippii. f.
lævipes. f.
Fumana. f.
glutinatum. f.
alpestre
vineale
caninum
tomentosum

HELIANTHEMUM ILEX

leptophyllum
 serpyllifolium
 vulgare
 β multiplex
 surrejanum
 grandiflorum
 obscurum
 nummularium
 pilosum
 lineare
 apenninum
 pulverulentum
 rhodanthum
 venustum
 canescens
 variegatum
 versicolor
 mutabile
 β flore pleno
 hyssopifolium
 sulphureum
 eriosepalon
 roseum
 multiplex
 polifolium
HIBISCUS
 syriacus
 α purpureus
 β ruber
 γ albus
 δ variegatus
 ε albo-plenus
 ζ purpureo-plenus
HIPPOPHÆ
 rhamnoides
 canadensis
HYDRANGÆA
 radiata
 arborescens
 quercifolia. *f.*
HYPERICUM
 calycinum
 Androsæmum
 hircinum
 prolificum
ILEX
 Aquifolium *
 *β heterophylla **
 *γ crassifolia **

*δ recurva **
 *ε ferox **
 *ζ flava **
 *η albo-marginata **
 *θ aureo-marginata **
 *ι medio-picta **
 balearica *
 opaca *
JUNIPERUS
 Sabina *
 tamariscifolia *
 prostrata *
 virginiana *
 communis *
 suecica *
 Oxycedrus *
 phœnicea *
 lycia *
KÆLREUTERIA
 paniculata
LAURUS
 nobilis *
 *β undulata **
 *γ salicifolia **
 Benzoin
 Sassafras
LIGUSTRUM
 lucidum
 vulgare
 *β sempervirens **
LIQUIDAMBAR
 Styraciflua
 imberbe
LIRIODENDRON
 tulipifera
LONICERA
 nigra
 tatarica
 Xylostium
 pyrenaica
 alpigena
 cœrulea
MACLURA
 aurantiaca
 δ mascula
 ♀ fœmina
MAGNOLIA
 grandiflora *
 *α elliptica **

MAGNOLIA

*β obovata **
 *γ lanceolata **
 cordata
 acuminata
 tripetala
 macrophylla
 auriculata
 pyramidata
MESPILUS
 germanica
 grandiflora
NYSSA
 villosa
 denticulata
ONONIS
 fruticosa
ORNUS
 europæa
 rotundifolia
PÆONIA
 Moutan
 α papaveracea
 β Banksii
 γ rosea
PALIURUS
 aculeatus
 virgatus
PHILADELPHUS
 coronarius
 inodorus
 gracilis
 grandiflorus
PHLOMIS
 fruticosa *
 lanata *
 purpurea *
PHOTINIA
 serrulata
PINUS
 sylvestris *
 Laricio *
 Pinaster *
 Pinea *
 Strobus *
 Cembra *
 Abies *
 alba *
 rubra *
 nigra *

PINUS

canadensis *

Picea *

balsamea *

Pichta *

Larix

pendula

microcarpa

Cedrus *

PLATANUS

orientalis

occidentalis

PODOCARPUS

chinensis

POPULUS

alba

canescens

tremula

græca

nigra

hudsonica

dilatata

monilifera

angulata

balsamifera

candicans

heterophylla

POTENTILLA

fruticosa

floribunda

PRUNUS

Padus

PTELEA

trifoliata

PUNICA

Granatum

β flore pleno

PYRUS

japonica

β alba

Pollveria

salicifolia

spectabilis

prunifolia

baccata

coronaria

angustifolia

Aria

intermedia

PYRUS

torminalis

pinnatifida

domestica

aucuparia

microcarpa

QUERCUS

Phellos

virens*

cinerea

Ilex

*α integrifolia **

*β serrata **

*γ oblonga **

Suber*

coccifera *

Prinus

bicolor

montana

prinoides

aquatica

nigra

tinctoria

coccinea

ambigua

rubra

Catesbæi

falcata

palustris

Banisteri

stellata

macrocarpa

alba

Robur

Cerris

β bullata

γ sinuata

Lucombeana

lyrata

RHAMNUS

Frangula

latifolius

Alaternus *

Clusii *

RHUS

typhinum

glabrum

elegans

Vernix

Copallinum

RHUS

Toxicodendron

radicans

aromaticum

Cotinus

RIBES

alpinum

aureum

floridum

ROBINIA

Pseudacacia

β inermis

viscosa

hispida

β rosea

ROSA

Sorts without end.

ROSMARINUS

officinalis *

*β albo-marginata**

*γ aureo-marginata**

RUBUS

cæsius

β variegatus

canadensis

odoratus

RUSCUS

aculeatus

laxus *

Hypophyllum *

Hypoglossum *

racemosus *

RUTA

graveolens *

SALISBURIA

adiantifolia

SAMBUCUS

nigra

β viridis

γ laciniata

canadensis

pubescens

racemosa

SOPHORA

japonica

SPARTIUM

juncum

β flore pleno

SPIRÆA

lævigata

SPIRÆA

salicifolia

β *alba*

tomentosa

bella

hypericifolia

chamædrifolia

crenata

triloba

opulifolia

sorbifolia

STAPHYLEA

pinnata

trifolia

SYMPHORIA

racemosa

glomerata

SYRINGA

vulgaris

β *violacea*γ *alba*

chinensis

persica

β *alba*γ *laciniata***TAMARIX**

germanica

gallica

TAXODIUM

distichum

TAXUS

baccata ■

THUJA

occidentalis *

pyramidalis ■

orientalis *

TILIA

microphylla

rubra

platyphylla

glabra

pubescens

heterophylla

argentea

ULEX

europæus

β *flore pleno***VIBURNUM**

Tinus *

lucidum *

VIBURNUM

strictum *

prunifolium

Lentago

nudum

dauricum

cassinoides

lævigatum

nitidum

dentatum

pubescens

Lantana

molle

Opulus

β *roseum***VITEX**

Agnus-castus

ZANTHORHIZA

apiifolia

ZANTHOXYLUM

fraxineum

tricarpum

HARDY PERENNIAL HERBACEOUS PLANTS.

Those marked thus (†) are best adapted for Rock-work.

ACÆNA <i>lucida</i> †	ACONITUM <i>versicolor</i> <i>decorum</i> <i>cernuum</i> <i>hebegynum</i> <i>paniculatum</i> <i>volubile</i> <i>recognitum</i> <i>illinitum</i> <i>Ottonianum</i> <i>leucanthum</i> <i>rhynchanthum</i> <i>pyrenaicum</i> <i>galectonum</i> <i>ochroleucum</i> <i>altissimum</i> <i>thelyphonum</i> <i>septentrionale</i>	AJUGA <i>alpina</i> † <i>genevensis</i> † <i>reptans</i> † <i>β alba</i> † <i>γ rubra</i> †
ACANTHUS <i>spinosus</i> <i>spinosissimus</i>		ALCHEMILLA <i>vulgaris</i> † <i>montana</i> † <i>pubescens</i> † <i>sericea</i> † <i>alpina</i> †
ACHILLEA <i>Parmica</i> <i>β flore pleno</i> <i>decolorans</i> <i>speciosa</i> <i>alpina</i> <i>serrata</i> <i>Clavennæ</i> † <i>asplenifolia</i> <i>atrata</i> <i>tomentosa</i> † <i>odorata</i>		ALLIUM <i>Moly</i> <i>magicum</i> <i>subhirsutum</i> <i>albidum</i> <i>neapolitanum</i> <i>carneum</i> <i>caucaseum</i> <i>Synnotii</i> <i>erectum</i> <i>striatum</i> <i>pendulinum</i> <i>incarnatum</i>
ACONITUM <i>Anthora</i> <i>barbatum</i> <i>uncinatum</i> <i>commutatum</i> <i>Halleri</i> <i>venustum</i> <i>laxiflorum</i> <i>elatum</i> <i>neubergense</i> <i>Bernhardianum</i> <i>strictum</i> <i>Schleicheri</i> <i>ampliflorum</i> <i>hamatum</i> <i>pyramidale</i> <i>Stoerkeanum</i>	ADENOPHORA <i>coronopifolia</i> <i>denticulata</i> <i>marsupiiiflora</i> <i>liliifolia</i> ADONIS <i>vernalis</i> AGRIMONIA <i>repens</i> <i>odorata</i> AGROSTEMMA <i>coronaria</i> <i>β flore pleno</i> <i>Flos jovis</i>	ALYSSUM <i>montanum</i> † <i>gemonense</i> † <i>saxatile</i> † <i>tortuosum</i> † <i>alpestre</i> †
	AJUGA <i>orientalis</i>	AMSONIA <i>latifolia</i> <i>salicifolia</i>

ANCHUSA

ochroleuca
lutea

ANDROSACE

villosa †
lactea †
carnea †
chamæjasme †
obtusifolia †

ANEMONE

coronaria
β *plena*
stellata
β *versicolor*
γ *purpurea*

pavonina

■ *rubra*

β *lilacina*

γ *plena*

palmata

baldensis

sylvestris

pennsylvanica

dichotoma

nemorosa

β *plena*

apennina

ranunculoides

narcissiflora

ANTENNARIA

dioica †

margaritacea

plantaginea †

ANTHEMIS

Pyrethrum †

montana

ANTHOLYZA

segetum

ANTIRRHINUM

majus

β *coccineum*

γ *bicolor*

APOCYNUM

hypericifolium

androsæmifolium

AQUILEGIA

vulgaris

β *corniculata*

γ *inversa*

δ *stellata*

AQUILEGIA

speciosa

alpina

glandulosa

sibirica

canadensis

viridiflora

atropurpurea

hybrida

ARABIS

albida

alpina †

Halleri †

hispida †

ARENARIA

balearica †

montana †

verna †

grandiflora †

striata †

ARETIA

vitaliana †

alpina †

helvetica †

ASARUM

europæum †

canadense †

virginicum †

arifolium

ASCLEPIAS

syriaca

amoena

purpurascens

incarnata

pulchra

nivea

obtusifolia

verticillata

tuberosa

ASPHODELUS

luteus

ramosus

ASTRAGALUS

alopecuroides

capitatus

galegiformis

lencophæus †

monspessulanus

tenuifolius

ASTRANTIA

major

maxima

carniolica

minor

AUBRIETIA

purpurea

deltoidæa

BAPTISIA

exaltata

australis

alba

tinctoria

BELLIS

perennis

β *hortensis*

γ *fistulosa*

δ *prolifera*

BETONICA

stricta †

orientalis †

hirsuta †

grandiflora †

BLUMENBACHIA

insignis

BORAGO

orientalis

laxiflora

BRAYA

alpina †

BULBOCODIUM

vernum

BUPHTHALMUM

salicifolium

grandiflorum

BUTOMUS

umbellatus

CACALIA

suaveolens

sarracénica

CALAMINTHA

grandiflora

CALTHA

palustris

β *flore pleno*

radicans

CALYSTEGIA

sepium

reniformis

- CAMPANULA**
grandiflora †
carpatica †
rotundifolia †
pumila †
 ■ *cærulea*
 β *alba*
Scheuchzeri †
persicifolia
 β *maxima*
 γ *albo-plena*
 ■ *cæruleo-plena*
pyramidalis
versicolor
rhomboidea
macrantha
latifolia
 ■ *cærulea*
 β *alba*
urticifolia
azurea †
collina †
ucranica †
bononiensis
ruthenica
Trachelium
 β *cæruleo-plena*
 γ *albo-plena*
speciosa
sarmatica
glomerata
cephalotes
aggregata
barbata †
alpina †
punctata †
alliarifolia
lactiflora
CARDAMINE
trifolia
asarifolia
pratensis
 β *flore pleno*
amara
CASSIA
marilandica
CATANANCHE
cærulea
CENTAUREA
ochroleuca
montana
- CENTAUREA**
neglecta
dealbata
Rhapontica
glastifolia
collina
CERASTIUM
tomentosum †
CHELONE
glabra
obliqua
Lyoni
barbata
digitalis
campanulata
hirsuta
pubescens
CHIMAPHILA
maculata
umbellata
CHRYSANTHE-
MUM
tripartitum
sinense
 β *semi double*
 quilled white
 γ *quilled white*
 δ *old white*
 ε *paper white*
 ζ *superb white*
 η *tassel white*
 θ *expanded straw*
 coloured
 ι *golden yellow*
 κ *superb cluster*
 yellow
 λ *quilled yellow*
 μ *quilled flame*
 yellow
 ν *large quilled*
 orange
 ξ *copper coloured*
 ο *Spanish brown*
 π *curled lilac*
 ρ *large lilac*
 σ *rose or lilac*
 τ *quilled pink*
 υ *expanded light*
 purple
 φ *quilled light*
 purple
 F
- CHRYSANTHE-**
MUM
sinense
 χ *pale lilac*
 ψ *early crimson*
 ω *semi double*
 quilled pink
 αα *quilled salmon*
 ββ *semidouble*
 quilled orange
 γγ *Reeves's semi-*
 double quilled
 yellow
 δδ *small yellow*
 εε *Parks's small*
 yellow
 ζζ *Reeves's early*
 blush
 ηη *changeable pale*
 buff
 θθ *double white*
 Indian
 ιι *clustered pink*
 κκ *semidouble*
 quilled pale
 orange
 λλ *early blush*
 μμ *pale buff*
 νν *golden Lotus*
 ξξ *blush ranuncu-*
 lus flowered
 οο *two-coloured*
 incurved
 ππ *tasselled yel-*
 low
 ρρ *two-coloured*
 red
 σσ *starry purple*
 ττ *brown purple*
 υυ *yellow waratah*
 φφ *late quilled yel-*
 low
 χχ *double Indian*
 yellow
 ψψ *blush curled*
 lilac
CIMICIFUGA
cordifolia
palmata
CLAYTONIA
sibirica

CLAYTONIA

virginica
caroliniana
lanceolata

CLEMATIS

recta
angustifolia
integrifolia
ochroleuca

CNICUS

spinosissimus
afer

COLCHICUM

variegatum
autumnale
β *album*
γ *flore pleno*

COLLINSONIA

canadensis
anisata

COMARUM

palustre

CONVALLARIA

majalis
β *rosea*
γ *flore pleno*

CONVOLVULUS

lineatus †

COREOPSIS

verticillata
tenuifolia
grandiflora
lanceolata
auriculata

CORNUS

canadensis †

CORONILLA

varia
iberica
montana
minima

CORTUSA

Mathioli †

CORYDALIS

nobilis
tuberosa
fabacea
bulbosa
lutea †

COTYLEDON

lutea †
umbilicus †

CUSCUTA

verrucosa

CYCLAMEN

Coum
vernium
europæum
repandum
hederæfolium
■ *album*
β *rubrum*

CYNANCHUM

Vincetoxicum
fuscum
sibiricum
nigrum

CYNOGLOSSUM

Omphalodes †

CZACKIA

liliastrum

DAHLIA

frustranea
superflua
double and single varieties without end

DELPHINIUM

grandiflorum
α *simplex*
β *flore pleno*
γ *chinensis*

cheilanthum
exaltatum
urceolatum
palmatifidum
intermedium
cuneatum
dyctiocarpum
montanum
laxiflorum

DIANTHUS

diutinus
barbatus
latifolius †
atrorubens †
japonicus
Caryophyllus
deltoides †
glaucus †

DIANTHUS

caucasicus †
petræus †
hortensis
plumarius
superbus
cæsius †
alpinus †

DICLYTRA

eximia
formosa
cucullaria

DICTAMNUS

Fraxinella
albus

DIGITALIS

Thapsi
tomentosa
purpurea
β *alba*
ambigua
lutea
ferruginea

DODECATHEON

Meadia
β *album*

DORONICUM

plantagineum
caucasicum
scorpioides
macrophyllum
Pardalianches

DORYCNIUM

herbaceum †

DRABA

rupestris †
aizoides †
ciliata †

DRACOCEPHALUM

virginianum
speciosum
denticulatum
peregrinum
Ruyschiana
altaianse
grandiflorum
sibiricum

DRYPIS

spinosa †

ECHINOPS sphærocephalus Ritro	FRITILLARIA Imperialis <i>α rubra</i> <i>β flava</i> persica <i>β minor</i> obliqua pyrenaica nigra nervosa lutea latifolia Meleagris præcox	GENTIANA acaulis † alpina bavarica verna †
ECHIUM rubrum		GEUM intermedium rivale montanum †
EPILOBIUM angustifolium angustissimum Dodonæi † latifolium roseum alpinum †		GILLENIA trifoliata
ERANTHIS hyemalis		GLADIOLUS communis byzantinus
ERINUS alpinus † hispanicus †	FUNKIA alba cœrulea	GLAUX maritima
ERPETION reniforme	GAGEA fascicularis bracteolaris glauca villosa Sternbergii	GLOBULARIA vulgaris cordifolia † nudicaulis †
ERYNGIUM aquaticum planum corniculatum campestre amethystinum alpinum Bourgati	GALARDIA bicolor	GONOLOBUS hirsutus macrophyllus
ERYSIMUM diffusum † lanceolatum †	GALAX aphylla †	GYPSOPHILA repens † prostrata † paniculata saxifraga † Steveni acuta
ERYTHRÆA aggregata †	GALEGA orientalis officinalis <i>α rosea</i> <i>β alba</i>	HEDYSARUM canadense alpinum obscurum
ERYTHROLÆNA conspicua. <i>f.</i>	biloba persica	HELIANTHUS multiflorus <i>β flore pleno</i> mollis
ERYTHRONIUM americanum dens canis	GALIUM græcum † boreale †	HELICHRYSUM arenarium
EUPATORIUM purpureum maculatum aromaticum	GENTIANA lutea purpurea punctata pannonica septemfida † asclepiadea macrophylla cruciata † incarnata Saponaria Catesbæi Pneumonanthe †	HELIOPSIS lævis canescens scabra
FICARIA ranunculoides <i>β flore pleno</i>		
FRAGARIA indica †		
FRANKENIA lævis † hirsuta † pulverulenta †		

HELLEBORUS

niger
viridis

HELONIAS

bullata
lutea
asphodeloides

HEMEROCALLIS

graminea
flava
disticha
fulva

β *variegata*
γ *flore pleno*

HEPATICA

americana
triloba

α *single red*
β *single blue*
γ *single white*
δ *double red*
ε *double blue*

HESPERIS

matronalis
β *flore pleno*
tristis

HEUCHERA

americana
pubescens
villosa
caulescens

HIBISCUS

palustris
Moscheutos

HIERACIUM

aureum †
alpinum †
aurantiacum
staticifolium
chondrilloides
nigrescens
prunellæfolium
porrifolium
glaucum
ochroleucum
ovatum

HOTTONIA

palustris

HOUSTONIA

cærulea †

HUTCHINSIA

alpina †
petræa †

HYACINTHUS

orientalis
amethystinus

HYDROPHYLLUM

virginicum
canadense

HYOSCYAMUS

physaloides
orientalis

IBERIS

sempervirens
corifolia

INULA

glandulosa
saligna
Vaillanti
Helenium

IRIS

pumila
β *violacea*

furcata
cristata
arenaria
susiana
florentina
aphylla
plicata
variegata
squalens
sambucina
lurida

subbiflora
germanica
pallida
nepalensis
hungarica
dichotoma

Pseud-Acorus

ochroleuca
halophila
spuria
spathulata
desertorum
stenogyna
fœtidissima
β *variegata*
graminea

IRIS

sibirica
acuta
β *alba*
hæmatophylla

Pallasii
fulva

virginica
versicolor

ruthenica
notha

verna

Xiphium

Xiphoides

lusitanica

alata

persica

tuberosa

JASIONE

perennis

JEFFERSONIA

diphylla

KITAIBELIA

vitifolia

LAMIUM

Orvala
lævigatum †
rugosum †
garganicum
molle †

LATHYRUS

grandiflorus
tuberosus
latifolius

β *albus*

LEUCOJUM

vernum
æstivum
pulchellum
autumnale

LIATRIS

squarrosa
scariosa
turbinata
sphæroidea
elegans
pilosa
spicata

LILIUM

candidum

- LILIUM**
 japonicum
 longiflorum
 bulbiferum
 latifolium
 croceum
 spectabile
 concolor
 Catesbæi
 philadelphicum
 carolinianum
 andinum
 canadense
 β rubra
 superbum
 tigrinum
 Martagon
 pyrenaicum
 chalcedonicum
 pomponium
 monadelphum
 pumilum
- LINARIA**
 Cymbalaria †
 β variegata †
 pilosa †
 purpurea
 alpina †
 vulgaris
 β Peloria
- LINNÆA**
 borealis †
- LINUM**
 perenne
 montanum
 alpinum †
- LITHOSPERMUM**
 purpureo-cœruleum
 davuricum
 paniculatum
 pulchrum
- LOBELIA**
 pyramidalis
 fulgens
 splendens
 cardinalis
 Siphilitica
- LUNARIA**
 rediviva
- LUPINASTER**
 pentaphyllus †
- LUPINUS**
 perennis
 nootkatensis
- LYCHNIS**
 fulgens
 chalcedonica
 β alba
 γ plena
 coronata
 viscaria
 β alba
 γ plena
 alpina †
 diurna
 β plena
- LYSIMACHIA**
 vulgaris
 verticillata
 Ephemerum
 quadrifolia
 longifolia
 ciliata
 Nummularia †
- LYTHRUM**
 diffusum
 virgatum
 Salicaria
 tomentosum
- MECONOPSIS**
 cambrica
- MELITTIS**
 grandiflora
 Melissophyllum
- MIMULUS**
 ringens
 alatus
 guttatus †
- MIRABILIS**
 Jalapa
 α rubra
 β alba
 γ flava
 δ rubro-alba
 ε rubro-flava
 hybrida
 longiflora
- MITELLA**
 diphylla †
- MŒHRINGIA**
 muscosa †
- MONARDA**
 didyma
 Kalmiana
 rugosa
 clinopodia
 Russelliana
 media
 mollis
 fistulosa
 punctata
- MUSCARI**
 moschatum
 comosum
 β monstrosum
 botryoides
 α cœruleum
 β pallidum
 γ album
 racemosum
- MYOSOTIS**
 scorpioides
- NAPÆA**
 lævis
 scabra
- NARCISSUS**
 poeticus
 recurvus
 patellaris
 angustifolius
 biflorus
 tennior
 crenulatus
 Trewianus
 citrinus
 floribundus
 Tazzetta
 papyraceus
 italicus
 β semiplenus
 γ plenus
- Jonquilla
 β flore pleno
 calathinus
 odorus
 concolor
 pulchellus
 tenuifolius
 Bulbocodium

NARCISSUS

incomparabilis
plenus
 aurantius
plenus
sulphureo-plenus
 moschatus
 albus
 bicolor
 lorifolius
 obvallaris
 major
 propinquus
 minor

NEPETA

violacea
 melissæfolia
 Mussini †

NUTTALLIA

digitata

CENOTHERA

odorata
 cæspitosa
 missourensis
 macrocarpa
 glauca
 Fraseri
 fruticosa
 serotina
 serrulata
 speciosa
 pumila †
 rosea

ONONIS

rotundifolia

ONOSMA

arenaria
 taurica
 echioides

ORNITHOGALUM

umbellatum
 pyrenaicum
 montanum
 latifolium
 pyramidale
 nutans

OROBUS

lathyroides
 luteus
 vernus

OROBUS

tuberosus
 varius
 angustifolius
 albus
 ochroleucus
 niger

OXALIS

violacea
 tetraphylla

OXYBAPHUS

Cervantesii

PACHYSANDRA

procumbens †

PÆONIA

edulis
α vestalis
β candida
γ tatarica
δ sibirica
ε rubescens
ζ uniflora
η Whitleji
θ Humei
ι fragrans

anomala

tenuifolia

laciniata

officinalis

α Sabini

β rosea

γ blanda

δ rubra

ε carnescens

ζ albicans

corallina

daurica

humilis

decora

■ *Pallasii*

β elatior

arietina

α Andersonii

β oxoniensis

Russi

lobata

peregrina

■ *byzantina*

β compacta

γ Grevillei

PÆONIA

paradoxa
α simpliciflora
β fimbriata
 mollis

PAPAVER

nudicaule
 orientale
 bracteatum

PARDANTHUS

chinensis

PARNASSIA

palustris
 caroliniana

PHALANGIUM

ramosum
 Liliago

PHLOMIS

tuberosa
 Russeliana
 pungens
 Samia

PHLOX

paniculata
β alba
 undulata
 acuminata
 suaveolens
β variegata

maculata

pyramidalis

pilosa

amœna

Carolina

triflora

suffruticosa

glaberrima

divaricata †

stolonifera †

ovata †

nivalis †

subulata †

setacea †

PHYTEUMA

Scheuchzeri †
 orbicularis †
 campanuloides †

PHYTOLACCA

decandra

- PINGUICULA**
 alpina
 vulgaris
 lusitanica
 grandiflora
- PLUMBAGO**
 europæa
- PODOPHYLLUM**
 peltatum
- POLEMONIUM**
 cœruleum
 β album
 mexicanum
 sibiricum
 reptans
- POLYGONATUM**
 verticillatum
 vulgare
 multiflorum
 latifolium
- POTENTILLA**
 atrosanguinea †
 formosa †
 aurea †
 astracantha †
 alba †
 grandiflora †
 tridentata †
 splendens
- PRIMULA**
 vulgaris
 β pleno-carnea
 γ pleno-alba
 δ pleno-sulphurea
 ■ pleno-rubra
 ζ pleno-cuprea
 η pleno-atropurpurea
 elatior
 β polyanthos
 γ calycina
 δ flore pleno
 inflata
 Pallasii
 veris
 farinosa
 longiflora †
 cortusoides
 longifolia
 villosa †
- PRIMULA**
 ciliata †
 pubescens †
 helvetica †
 Simsii †
 nivea †
 marginata †
 Auricula †
 Palinuri
 integrifolia †
 minima †
- PRUNELLA**
 grandiflora †
 latifolia †
 pennsylvanica
- PULMONARIA**
 angustifolia
 officinalis
 saccharata
 tuberosa
 mollis
- PULSATILLA**
 alpina †
 pratensis
 vulgaris
 Halleri
 vernalis
 patens
- RAMONDA**
 pyrenaica †
- RANUNCULUS**
 gramineus
 parnassifolius
 amplexicaulis
 aconitifolius
 β flore pleno
 asiaticus
 monspeliacus
 acris
 β flore pleno
- RHEXIA**
 virginica
 mariana
- RHODIOLA**
 rosea †
- RUBUS**
 arcticus
- RUDBECKIA**
 purpurea
 serotina
- RUDBECKIA**
 fulgida
 hirta
 laciniata
 digitata
 pinnata
- SALVIA**
 ceratophylloides
 Tenorii
 interrupta
 nubicola
- SANGUINARIA**
 canadensis
- SANSEVIERA**
 carnea †
- SAPONARIA**
 officinalis
 ocyroides †
- SAXIFRAGA**
 crassifolia
 cordifolia
 ligulata
 Cotyledon †
 recta †
 Aizoon †
 umbrosa
 Geum †
 cuneifolia †
 sarmentosa
 cuscuthæformis
 virginianensis
 stellaris
 oppositifolia †
 aspera †
 Hirculus
 Aizoides †
 rotundifolia †
 granulata
 β plena
 geranioides †
 Sternbergii †
 ceratophylla †
 elongella †
 hypnoides †
 densa †
 pygmæa †
- SCABIOSA**
 ochroleuca
 caucasica

SCABIOSA
graminifolia
succisa

SCHIVERECKIA
podolica †

SCILLA
italica
peruviana
 α *cærulea*
 β *alba*

amœna
sibirica
verna
autumnalis
bifolia

α *cærulea*
 β *alba*
 γ *carnea*
campanulata
romana

SCOPOLIA
carniolica

SCROPHULARIA
grandiflora

SCUTELLARIA
orientalis †
grandiflora
alpina †
galericulata
serrata
altissima

SEDUM
Telephium
Telephioides
Anacampseros

Aizoon
populifolium
ternatum
dasphyllum †
glaucum †

virens †
Forsterianum †
altissimum †
album †
acre †
sexangulare †
anglicum †
villosum †

SEMPERVIVUM
tectorum †

SEMPERVIVUM
soboliferum †
globiferum †

montanum †
arachnoideum †

SIBTHORPIA
europæa †

SILENE
maritima †
 β *flore pleno*
pennsylvanica
fimbriata
alpestris †
pusilla †
Saxifraga †
acaulis †

SILPHIUM
perfoliatum
connatum
therebinthinaceum

SMILACINA
bifolia †
stellata
racemosa

SOLDANELLA
alpina †
montana †
Clusii

SPIGELIA
marilandica

SPIRÆA
Aruncus
Filipendula
 β *plena*
Ulmaria
 β *plena*

STACHYS
angustifolia
polystachya
sibirica

STEVIA
purpurea
Eupatoria

STIPA
pennata

SYMPHYTUM
bohemicum
orientale
bullata
asperrimum

SYMPLOCARPUS
fetidus

TAXANTHEMA
speciosa †
tatarica

Limonium
Gmelini
scoparia
latifolia

virgata †
spathulata †
cordata †

TELEPHIUM
Imperati †

TEUCRIUM
multiflorum
Incidentum

Chamædrys
orientale

THALICTRUM
alpinum †
tuberosum

elatum
rugosum
angustifolium
aquilegifolium
 β *atropurpureum*
galioides
sibiricum

THYMUS
lanuginosus †

TIARELLA
cordifolia †

TIGRIDIA
pavonia
conchiiflora

TRACHELIUM
cæruleum

TRADESCANTIA
rosea
subaspera
virginica

α *cærulea*
 β *rubra*
 γ *alba*
 δ *plena*

TRICHONEMA
Bulbocodium
purpurascens
Columnæ

TRIENTALIS	VERNONIA	VIOLA
europæa †	præalta	palmata
TRIFOLIUM	noveboracensis	pedata
alpestre	VERONICA	cucullata †
rubens	sibirica	blanda
TROLLIUS	virginica	eriocarpa
americanus	neglecta	odorata
europæus	spicata †	β <i>purpureo-plena</i>
hybridus	hybrida	γ <i>albo-plena</i>
intermedius	arguta	δ <i>pallido-plena</i>
asiaticus	incarnata	ε <i>cœruleo-plena</i>
TULIPA	carnea	canadensis
oculus solis	media	biflora †
præcox	australis	lanceolata
Gesneriana	glabra	primulæfolia
β <i>flore pleno</i>	β <i>alba</i>	montana
pubescens	longifolia	floribunda
suaveolens	pinната	altaica †
Celsiana	laciniata	tricolor
turcica	pallida	amœna †
cornuta	gentianoides	sudetica †
biflora	fruticulosa †	lutea †
TUSSILAGO	saxatilis †	calcarata †
alpina †	multifida †	cornuta †
discolor	Teucrium	
alba	latifolia	WALDSTEINIA
fragrans	paniculata	geoides †
UVULARIA	caucasica †	
perfoliata	VESICARIA	WULFENIA
grandiflora	utriculata	carinthiaca
sessilifolia	VICIA	
VERATRUM	sylvatica	YUCCA
nigrum	Cracca	glaucescens
album	VINCA	filamentosa
VERBASCUM	herbacea	β <i>variegata</i>
pyramidatum	major	recurvifolia
phœniceum	minor	angustifolia
ferrugineum	β <i>variegata</i>	ZYGOPHYLLUM
	γ <i>flore pleno</i>	Fabago

N. B. A good Collection of choice Fruit Trees of all kinds.

Kitchen Garden and Flower Seeds.

Also Dutch Bulbs annually imported.

Garden Mats, &c. &c.

FLORA AUSTRALASICA.

MR. SWEET is preparing a splendid Work on the most Ornamental and Curious Plants, that are Natives of New Holland and the South Sea Islands, (generally called Botany Bay Plants,) and which are chiefly Plants very different from those of other Countries; the greater part of which are of easy Cultivation, and are the most proper Plants for a Greenhouse or Conservatory; many of them will also succeed well in the open Ground, particularly in the Southern Counties of England, South Wales, and some of the Counties in Ireland, where probably many of the species of *Eucalyptus*, *Casuarina*, &c. may be cultivated, both as Ornamental as well as Useful Timber Trees. The Work will be Published in Monthly Numbers, at Three Shillings each, and each Number will contain FOUR splendid FIGURES, with magnified dissections, their Names, Descriptions, the Soil and Situation that is most suitable for them, and all other Information requisite for their Management, the best method of Propagating them by Cuttings, Inarching, &c. and the finest, rarest, and most interesting Subjects will be chosen. Specimens of the FIGURES may be seen at the Author's, No. 20, Camera Square, Chelsea; at Mr. Colvill's Nursery; and at Mr. Mackay's Nursery at Clapton; where Subscribers Names will be received.

On the 1st of APRIL, 1827, will be Published,

(By the same Author,)

No. 50

OF THE

BRITISH FLOWER GARDEN,

Which completes the Second Volume;

And will be continued Monthly.

Each Number, Price **THREE SHILLINGS**, contains **FOUR** full and elegantly coloured FIGURES, of the most Ornamental, or Interesting **FLOWERING** Shrubs and **HERBACEOUS** Plants, that may be Cultivated with success in the open air of Great Britain, with their Names and Descriptions, the Soil and Situation that suits them best, the readiest Method of Increasing them, or any other Information that may be considered of importance.

PUBLISHED BY W. SIMPKIN AND R. MARSHALL,

Stationers'-hall Court, Ludgate-street.

By the same Author,

CISTINEÆ.

The Natural Order of *Cistus*, or *Rock-rose*, to be completed in one Volume, a Number Published every alternate Month, each containing Four elegantly coloured FIGURES of this interesting Tribe of Plants, most of which succeed well in the open air, and are well adapted for the Ornamenting of Rock-work, where their lively Flowers make a fine appearance.

PUBLISHED BY JAMES RIDGWAY,

169, Piccadilly.

By the same Author.

JUST PUBLISHED,

In One Fasciculus,

(Price SEVEN SHILLINGS & SIXPENCE,)

OR WITHOUT FIGURES,

(TWO SHILLINGS & SIXPENCE,)

THE

BRITISH WARBLERS.

Containing Six beautifully coloured FIGURES of the most interesting BIRDS of PASSAGE belonging to the Genus SYLVIA ; including the NIGHTINGALE, REDSTART, WHITETHROAT, WILLOW-WREN, &c. all taken from living Specimens in the Author's Collection, with Directions for their Treatment according to the Author's Method ; in which is explained how the interesting and fine Singing Birds belonging to this Genus may be kept in confinement in as good Health as any common Birds whatever. Likewise an interesting account of their Agitation at the different Seasons of their Migration from one Country to another.

PUBLISHED BY W. SIMPKIN AND R. MARSHALL,

Stationers'-hall Court, Ludgate-street.

**JUST PUBLISHED,
SWEET'S HORTUS BRITANNICUS,**

IN TWO PARTS.

Price TEN SHILLINGS & SIXPENCE Each,

Or the Two in One Volume,

Price ONE GUINEA.

Being a Catalogue of all the known Plants cultivated in the Gardens of Great Britain, and arranged according to the Natural System, with references to the Linnean Classes and Orders to which they belong, their scientific and English Names, with numerous Synonyms, and references to the best Authorities, where native, when introduced to the Gardens, the months in which they Flower, duration, and reference to the Books in which they are figured; the whole brought down to the present time, and contains some thousands of Plants, not before Published in any Catalogue of this Country.

PUBLISHED BY JAMES RIDGWAY,

169, Piccadilly.

Also, by the same Author,

Price TWELVE SHILLINGS,
SWEET'S BOTANICAL CULTIVATOR.

Third Edition.

Being a Practical Treatise on the Cultivation and Propagation of all the Plants that are Cultivated in the Hothouses, Greenhouses, and open air of Great Britain, with the best Method of Striking the different Plants from Cuttings, and the different sorts of soil suitable for each Genus.

PUBLISHED BY JAMES RIDGWAY,

169, Piccadilly.

European Nursery Catalogues

A virtual collection project by:

Deutsche Gartenbaubibliothek e.V.

Paper version of this catalogue hold by:

Conservatoire et Jardin botaniques, Genève

Digital version sponsored by:

C.A. Wimmer

COMMERCIAL USE FORBIDDEN
Attribution-NonCommercial 4.0 International
(CC BY-NC 4.0)